


HYDRAULIC ADAPTERS

JIC ADAPTERS

| SPECIFICATIONS | | |
|----------------|-------------|---|
| RB&H # | 1 | 2 |
| 4MJ-PLUG | 7/16 - 20 | |
| 5MJ-PLUG | 1/2 - 20 | |
| 6MJ-PLUG | 9/16 - 18 | |
| 8MJ-PLUG | 3/4 - 16 | |
| 10MJ-PLUG | 7/8 - 14 | |
| 12MJ-PLUG | 1 1/16 - 12 | |
| 14MJ-PLUG | 1 3/16 - 12 | |
| 16MJ-PLUG | 1 5/16 - 12 | |
| 20MJ-PLUG | 1 5/8 - 12 | |
| 24MJ-PLUG | 1 7/8 - 12 | |
| 32MJ-PLUG | 2 1/2 - 12 | |

**Male JIC
37° Flare
Plug**




| SPECIFICATIONS | |
|----------------|-------------|
| RB&H # | THREAD |
| 4BLKHD-NUT | 7/16 - 24 |
| 5BLKHD-NUT | 1/2 - 20 |
| 6BLKHD-NUT | 9/16 - 18 |
| 8BLKHD-NUT | 3/4 - 16 |
| 10BLKHD-NUT | 7/8 - 14 |
| 12BLKHD-NUT | 1 1/16 - 12 |
| 14BLKHD-NUT | 1 3/16 - 12 |
| 16BLKHD-NUT | 1 5/16 - 12 |
| 20BLKHD-NUT | 1 5/8 - 12 |
| 24BLKHD-NUT | 1 7/8 - 12 |
| 32BLKHD-NUT | 2 1/2 - 12 |

**Bulkhead
Nut**




| SPECIFICATIONS | | |
|----------------|-------------|---|
| RB&H # | 1 | 2 |
| 4FJ-CAP | 7/16 - 20 | |
| 5FJ-CAP | 1/2 - 20 | |
| 6FJ-CAP | 9/16 - 18 | |
| 8FJ-CAP | 3/4 - 16 | |
| 10FJ-CAP | 7/8 - 14 | |
| 12FJ-CAP | 1 1/16 - 12 | |
| 14FJ-CAP | 1 3/16 - 12 | |
| 16FJ-CAP | 1 5/16 - 12 | |
| 20FJ-CAP | 1 5/8 - 12 | |
| 24FJ-CAP | 1 7/8 - 12 | |
| 32FJ-CAP | 2 1/2 - 12 | |

**Female JIC
37° Flare
Cap**




| SPECIFICATIONS | | |
|----------------|-------------|----------------|
| RB&H # | 1 | 2 |
| 4MJ-2MP | 7/16 - 20 | 1/8 - 27 |
| 4MJ-4MP | 7/16 - 20 | 1/4 - 18 |
| 4MJ-6MP | 7/16 - 20 | 3/8 - 18 |
| 5MJ-2MP | 1/2 - 20 | 1/8 - 27 |
| 5MJ-4MP | 1/2 - 20 | 1/4 - 18 |
| 5MJ-6MP | 1/2 - 20 | 3/8 - 18 |
| 6MJ-2MP | 9/16 - 18 | 1/8 - 27 |
| 6MJ-4MP | 9/16 - 20 | 1/4 - 18 |
| 6MJ-6MP | 9/16 - 20 | 3/8 - 18 |
| 6MJ-8MP | 9/16 - 20 | 1/2 - 14 |
| 8MJ-4MP | 3/4 - 16 | 1/4 - 18 |
| 8MJ-6MP | 3/4 - 16 | 3/8 - 18 |
| 8MJ-8MP | 3/4 - 16 | 1/2 - 14 |
| 8MJ-12MP | 3/4 - 16 | 3/4 - 14 |
| 10MJ-6MP | 7/8 - 14 | 3/8 - 18 |
| 10MJ-8MP | 7/8 - 14 | 1/2 - 14 |
| 10MJ-12MP | 7/8 - 14 | 3/4 - 14 |
| 12MJ-8MP | 1 1/16 - 12 | 1/2 - 14 |
| 12MJ-12MP | 1 1/16 - 12 | 3/4 - 14 |
| 12MJ-16MP | 1 1/16 - 12 | 1 - 11 1/2 |
| 14MJ-12MP | 1 3/16 - 12 | 3/4 - 14 |
| 16MJ-12MP | 1 5/16 - 12 | 3/4 - 14 |
| 16MJ-16MP | 1 5/16 - 12 | 1 - 11 1/2 |
| 16MJ-20MP | 1 5/16 - 12 | 1 1/4 - 11 1/2 |
| 20MJ-16MP | 1 5/8 - 12 | 1 - 11 1/2 |
| 20MJ-20MP | 1 5/8 - 12 | 1 1/4 - 11 1/2 |
| 24MJ-20MP | 1 7/8 - 12 | 1 1/4 - 11 1/2 |
| 24MJ-24MP | 1 7/8 - 12 | 1 1/2 - 11 1/2 |

**Male JIC
37° Flare to
Male Pipe
STRAIGHT**



| SPECIFICATIONS | |
|----------------|-------------|
| RB&H # | THREAD I.D. |
| 4FJX-NUT | 7/16 - 20 |
| 5FJX-NUT | 1/2 - 20 |
| 6FJX-NUT | 9/16 - 18 |
| 8FJX-NUT | 3/4 - 16 |
| 10FJX-NUT | 7/8 - 14 |
| 12FJX-NUT | 1 1/16 - 12 |
| 14FJX-NUT | 1 3/16 - 12 |
| 16FJX-NUT | 1 5/16 - 12 |
| 20FJX-NUT | 1 5/8 - 12 |
| 24FJX-NUT | 1 7/8 - 12 |
| 32FJX-NUT | 2 1/2 - 12 |

**Swivel
Female JIC
37° Flare
Nut**



| SPECIFICATIONS | |
|----------------|-----------|
| RB&H # | SLEEVE ID |
| 4FJX-SLEEVE | 1/4 |
| 5FJX-SLEEVE | 5/16 |
| 6FJX-SLEEVE | 3/8 |
| 8FJX-SLEEVE | 1/2 |
| 10FJX-SLEEVE | 5/8 |
| 12FJX-SLEEVE | 3/4 |
| 14FJX-SLEEVE | 7/8 |
| 16FJX-SLEEVE | 1 |
| 20FJX-SLEEVE | 1 1/4 |
| 24FJX-SLEEVE | 1 1/2 |
| 32FJX-SLEEVE | 2 |


**Swivel
Female JIC
37° Flare
Sleeve**



HYDRAULIC ADAPTERS


JIC ADAPTERS

**Male JIC
37° Flare to
Male Pipe
45° Elbow**



| SPECIFICATIONS | | |
|----------------|-------------|----------------|
| RB&H # | 1 | 2 |
| 4MJ-2MP45 | 7/16 - 20 | 1/8 - 27 |
| 4MJ-4MP45 | 7/16 - 20 | 1/4 - 18 |
| 5MJ-2MP45 | 1/2 - 20 | 1/8 - 27 |
| 5MJ-4MP45 | 1/2 - 20 | 1/4 - 18 |
| 6MJ-2MP45 | 9/16 - 18 | 1/8 - 27 |
| 6MJ-4MP45 | 9/16 - 18 | 1/4 - 18 |
| 6MJ-6MP45 | 9/16 - 18 | 3/8 - 18 |
| 6MJ-8MP45 | 9/16 - 18 | 1/2 - 14 |
| 8MJ-4MP45 | 3/4 - 16 | 1/4 - 18 |
| 8MJ-6MP45 | 3/4 - 16 | 3/8 - 18 |
| 8MJ-8MP45 | 3/4 - 16 | 1/2 - 14 |
| 8MJ-12MP45 | 3/4 - 16 | 3/4 - 14 |
| 10MJ-6MP45 | 7/8 - 14 | 3/8 - 18 |
| 10MJ-8MP45 | 7/8 - 14 | 1/2 - 14 |
| 10MJ-12MP45 | 7/8 - 14 | 3/4 - 14 |
| 12MJ-8MP45 | 1 1/16 - 12 | 1/2 - 14 |
| 12MJ-12MP45 | 1 1/16 - 12 | 3/4 - 14 |
| 12MJ-16MP45 | 1 1/16 - 12 | 1 - 11 1/2 |
| 14MJ-12MP45 | 1 3/16 - 12 | 3/4 - 14 |
| 16MJ-12MP45 | 1 5/16 - 12 | 3/4 - 14 |
| 16MJ-16MP45 | 1 5/16 - 12 | 1 - 11 1/2 |
| 20MJ-20MP45 | 1 5/8 - 12 | 1 1/4 - 11 1/2 |
| 24MJ-24MP45 | 1 7/8 - 12 | 1 1/2 - 11 1/2 |
| 32MJ-32MP45 | 2 1/2 - 12 | 2 - 11 1/2 |

**Male JIC
37° Flare
to Male
O-Ring
Boss SAE**



| SPECIFICATIONS | | |
|----------------|-------------|-------------|
| RB&H # | 1 | 2 |
| 4MJ-4MB | 7/16 - 20 | 7/16 - 20 |
| 4MJ-5MB | 7/16 - 20 | 1/2 - 20 |
| 4MJ-6MB | 7/16 - 20 | 9/16 - 18 |
| 4MJ-8MB | 7/16 - 20 | 3/4 - 16 |
| 5MJ-4MB | 1/2 - 20 | 7/16 - 20 |
| 5MJ-5MB | 1/2 - 20 | 1/2 - 20 |
| 5MJ-6MB | 1/2 - 20 | 9/16 - 18 |
| 6MJ-4MB | 9/16 - 18 | 7/16 - 20 |
| 6MJ-5MB | 9/16 - 18 | 1/2 - 20 |
| 6MJ-6MB | 9/16 - 18 | 9/16 - 18 |
| 6MJ-8MB | 9/16 - 18 | 3/4 - 16 |
| 6MJ-10MB | 9/16 - 18 | 7/8 - 14 |
| 8MJ-6MB | 3/4 - 16 | 9/16 - 18 |
| 8MJ-8MB | 3/4 - 16 | 3/4 - 16 |
| 8MJ-10MB | 3/4 - 16 | 7/8 - 14 |
| 8MJ-12MB | 3/4 - 16 | 1 1/2 - 12 |
| 10MJ-8MB | 7/8 - 14 | 3/4 - 16 |
| 10MJ-10MB | 7/8 - 14 | 7/8 - 14 |
| 10MJ-12MB | 7/8 - 14 | 1 1/2 - 12 |
| 10MJ-16MB | 7/8 - 14 | 1 5/16 - 12 |
| 12MJ-8MB | 1 1/16 - 12 | 3/4 - 16 |
| 12MJ-10MB | 1 1/16 - 12 | 7/8 - 14 |
| 12MJ-12MB | 1 1/16 - 12 | 1 1/2 - 12 |
| 12MJ-14MB | 1 1/16 - 12 | 1 3/16 - 12 |
| 12MJ-16MB | 1 1/16 - 12 | 1 5/16 - 12 |
| 12MJ-20MB | 1 1/16 - 12 | 1 5/8 - 12 |
| 14MJ-14MB | 1 3/16 - 12 | 1 3/16 - 12 |
| 16MJ-10MB | 1 5/16 - 12 | 7/8 - 14 |
| 16MJ-12MB | 1 5/16 - 12 | 1 1/2 - 12 |
| 16MJ-16MB | 1 5/16 - 12 | 1 5/16 - 12 |
| 16MJ-20MB | 1 5/16 - 12 | 1 5/8 - 12 |
| 20MJ-16MB | 1 5/8 - 12 | 1 5/16 - 12 |
| 20MJ-20MB | 1 5/8 - 12 | 1 5/8 - 12 |
| 20MJ-24MB | 1 5/8 - 12 | 1 7/8 - 12 |
| 24MJ-20MB | 1 7/8 - 12 | 1 5/8 - 12 |
| 24MJ-24MB | 1 7/8 - 12 | 1 7/8 - 12 |
| 24MJ-32MB | 1 7/8 - 12 | 2 1/2 - 12 |
| 32MJ-24MB | 2 1/2 - 12 | 1 7/8 - 12 |
| 32MJ-32MB | 2 1/2 - 12 | 2 1/2 - 12 |


HYDRAULIC ADAPTERS

JIC ADAPTERS

SPECIFICATIONS

| RB&H # | 1 | 2 |
|-------------|-------------|-------------|
| 4MJ-4MB90 | 7/16 - 20 | 7/16 - 20 |
| 4MJ-6MB90 | 7/16 - 20 | 9/16 - 18 |
| 6MJ-4MB90 | 9/16 - 18 | 7/16 - 20 |
| 6MJ-6MB90 | 9/16 - 18 | 9/16 - 18 |
| 6MJ-8MB90 | 9/16 - 18 | 3/4 - 16 |
| 6MJ-10MB90 | 9/16 - 18 | 7/8 - 14 |
| 8MJ-6MB90 | 3/4 - 16 | 9/16 - 18 |
| 8MJ-8MB90 | 3/4 - 16 | 3/4 - 16 |
| 8MJ-10MB90 | 3/4 - 16 | 7/8 - 14 |
| 8MJ-12MB90 | 3/4 - 16 | 1 1/16 - 12 |
| 10MJ-8MB90 | 7/8 - 14 | 3/4 - 16 |
| 10MJ-10MB90 | 7/8 - 14 | 7/8 - 14 |
| 10MJ-12MB90 | 7/8 - 14 | 1 1/16 - 12 |
| 12MJ-10MB90 | 1 1/16 - 12 | 7/8 - 14 |
| 12MJ-12MB90 | 1 1/16 - 12 | 1 1/16 - 12 |
| 12MJ-16MB90 | 1 1/16 - 12 | 1 9/16 - 12 |
| 16MJ-16MB90 | 1 5/16 - 12 | 1 9/16 - 12 |
| 16MJ-20MB90 | 1 5/16 - 12 | 1 9/8 - 12 |
| 20MJ-16MB90 | 1 5/8 - 12 | 1 9/16 - 12 |
| 20MJ-20MB90 | 1 5/8 - 12 | 1 9/8 - 12 |
| 24MJ-24MB90 | 1 7/8 - 12 | 1 7/8 - 12 |
| 32MJ-32MB90 | 2 1/2 - 12 | 2 1/2 - 12 |


**Male JIC
37° Flare to
Male O-Ring
Boss
SAE 90°**



SPECIFICATIONS

| RB&H # | 1 | 2 | LENGTH (IN.) |
|--------------|-------------|----------------|--------------|
| 4MJ-2MP90L | 7/16 - 20 | 1/8 - 27 | 1.17 |
| 4MJ-4MP90L | 7/16 - 20 | 1/4 - 18 | 1.58 |
| 5MJ-2MP90L | 1/2 - 20 | 1/8 - 27 | 1.20 |
| 5MJ-4MP90L | 1/2 - 20 | 1/4 - 18 | 1.55 |
| 6MJ-4MP90L | 9/16 - 18 | 1/4 - 18 | 1.58 |
| 6MJ-6MP90L | 9/16 - 18 | 3/8 - 18 | 1.83 |
| 8MJ-6MP90L | 3/4 - 16 | 3/8 - 18 | 1.83 |
| 8MJ-8MP90L | 3/4 - 16 | 1/2 - 14 | 2.17 |
| 8MJ-12MP90L | 3/4 - 16 | 3/4 - 14 | 2.44 |
| 10MJ-8MP90L | 7/8 - 14 | 1/2 - 14 | 2.17 |
| 12MJ-12MP90L | 1 1/16 - 12 | 3/4 - 14 | 2.44 |
| 14MJ-12MP90L | 1 3/16 - 12 | 3/4 - 14 | 2.50 |
| 16MJ-16MP90L | 1 5/16 - 12 | 1 - 11 1/2 | 3.02 |
| 20MJ-20MP90L | 1 5/8 - 12 | 1 1/4 - 11 1/2 | 3.69 |
| 24MJ-24MP90L | 1 7/8 - 12 | 1 1/2 - 11 1/2 | 4.10 |


**Male JIC
37° Flare
to Male
Pipe Long**



SPECIFICATIONS

| RB&H # | 1 | 2 |
|-------------|-------------|----------------|
| 4MJ-2MP90 | 7/16 - 20 | 1/8 - 27 |
| 4MJ-4MP90 | 7/16 - 20 | 1/4 - 18 |
| 4MJ-6MP90 | 7/16 - 20 | 3/8 - 18 |
| 4MJ-8MP90 | 7/16 - 20 | 1/2 - 14 |
| 5MJ-2MP90 | 1/2 - 20 | 1/8 - 27 |
| 5MJ-4MP90 | 1/2 - 20 | 1/4 - 18 |
| 5MJ-6MP90 | 1/2 - 20 | 3/8 - 18 |
| 6MJ-2MP90 | 9/16 - 18 | 1/8 - 27 |
| 6MJ-4MP90 | 9/16 - 18 | 1/4 - 18 |
| 6MJ-6MP90 | 9/16 - 18 | 3/8 - 18 |
| 6MJ-8MP90 | 9/16 - 18 | 1/2 - 14 |
| 8MJ-4MP90 | 3/4 - 16 | 1/4 - 18 |
| 8MJ-6MP90 | 3/4 - 16 | 3/8 - 18 |
| 8MJ-8MP90 | 3/4 - 16 | 1/2 - 14 |
| 8MJ-12MP90 | 3/4 - 16 | 3/4 - 14 |
| 10MJ-6MP90 | 7/8 - 14 | 3/8 - 18 |
| 10MJ-8MP90 | 7/8 - 14 | 1/2 - 14 |
| 10MJ-12MP90 | 7/8 - 14 | 3/4 - 14 |
| 12MJ-8MP90 | 1 1/16 - 12 | 1/2 - 14 |
| 12MJ-12MP90 | 1 1/16 - 12 | 3/4 - 14 |
| 12MJ-16MP90 | 1 1/16 - 12 | 1 - 11 1/2 |
| 14MJ-12MP90 | 1 3/16 - 12 | 3/4 - 14 |
| 16MJ-12MP90 | 1 5/16 - 12 | 3/4 - 14 |
| 16MJ-16MP90 | 1 5/16 - 12 | 1 - 11 1/2 |
| 16MJ-20MP90 | 1 5/16 - 12 | 1 1/4 - 11 1/2 |
| 20MJ-16MP90 | 1 5/8 - 12 | 1 - 11 1/2 |
| 20MJ-20MP90 | 1 5/8 - 12 | 1 1/4 - 11 1/2 |
| 20MJ-24MP90 | 1 5/8 - 12 | 1 1/2 - 11 1/2 |
| 24MJ-20MP90 | 1 7/8 - 12 | 1 1/4 - 11 1/2 |
| 24MJ-24MP90 | 1 7/8 - 12 | 1 1/2 - 11 1/2 |
| 32MJ-32MP90 | 2 1/2 - 12 | 2 - 11 1/2 |


**Male JIC
37° Flare to
Male Pipe
90° Elbow**



SPECIFICATIONS

| RB&H # | 1 | 2 | LENGTH (IN.) |
|---------------|-------------|----------------|--------------|
| 4MJ-2MP90LL | 7/16 - 20 | 1/8 - 27 | 1.56 |
| 4MJ-4MP90LL | 7/16 - 20 | 1/4 - 18 | 2.09 |
| 5MJ-2MP90LL | 1/2 - 20 | 1/8 - 27 | 1.59 |
| 5MJ-4MP90LL | 1/2 - 20 | 1/4 - 18 | 2.04 |
| 6MJ-4MP90LL | 9/16 - 18 | 1/4 - 18 | 2.07 |
| 8MJ-6MP90LL | 3/4 - 16 | 3/8 - 18 | 2.42 |
| 8MJ-8MP90LL | 3/4 - 16 | 1/2 - 14 | 2.88 |
| 10MJ-8MP90LL | 7/8 - 14 | 1/2 - 14 | 2.87 |
| 12MJ-12MP90LL | 1 1/16 - 12 | 3/4 - 14 | 3.28 |
| 14MJ-12MP90LL | 1 3/16 - 12 | 3/4 - 14 | 3.39 |
| 16MJ-16MP90LL | 1 5/16 - 12 | 1 - 11 1/2 | 4.05 |
| 20MJ-20MP90LL | 1 5/8 - 12 | 1 1/4 - 11 1/2 | 5.00 |


**Male JIC
37° Flare
to Male
Pipe Extra
Long**



SPECIFICATIONS

| RB&H # | 1 | 2 |
|-----------|-------------|----------------|
| 2MJ-2FP | 9/16 - 24 | 1/8 - 27 |
| 4MJ-2FP | 7/16 - 20 | 1/8 - 27 |
| 4MJ-4FP | 7/16 - 20 | 1/4 - 18 |
| 5MJ-2FP | 1/2 - 20 | 1/8 - 27 |
| 5MJ-4FP | 1/2 - 20 | 1/4 - 18 |
| 6MJ-4FP | 9/16 - 18 | 1/4 - 18 |
| 6MJ-6FP | 9/16 - 18 | 3/8 - 18 |
| 8MJ-6FP | 3/4 - 16 | 3/8 - 18 |
| 8MJ-8FP | 3/4 - 16 | 1/2 - 14 |
| 10MJ-6FP | 7/8 - 14 | 3/8 - 18 |
| 10MJ-8FP | 7/8 - 14 | 1/2 - 14 |
| 12MJ-12FP | 1 1/16 - 12 | 3/4 - 14 |
| 14MJ-12FP | 1 3/16 - 12 | 3/4 - 14 |
| 16MJ-16FP | 1 5/16 - 12 | 1 - 11 1/2 |
| 20MJ-20FP | 1 5/8 - 12 | 1 1/4 - 11 1/2 |
| 24MJ-24FP | 1 7/8 - 12 | 1 1/2 - 11 1/2 |
| 32MJ-32FP | 2 1/2 - 12 | 2 - 11 1/2 |


**Male JIC
37° Flare to
Female Pipe
STRAIGHT**



HYDRAULIC ADAPTERS


JIC ADAPTERS

**Male JIC
37° Flare to
Female Pipe
90° Elbow**




| SPECIFICATIONS | | |
|----------------|-------------|----------------|
| RB&H # | 1 | 2 |
| 4MJ-2FP90 | 7/16 - 20 | 1/8 - 27 |
| 4MJ-4FP90 | 7/16 - 20 | 1/4 - 18 |
| 5MJ-2FP90 | 1/2 - 20 | 1/8 - 27 |
| 5MJ-4FP90 | 1/2 - 20 | 1/4 - 18 |
| 6MJ-4FP90 | 9/16 - 18 | 1/4 - 18 |
| 6MJ-6FP90 | 9/16 - 18 | 3/8 - 18 |
| 8MJ-6FP90 | 3/4 - 16 | 3/8 - 18 |
| 8MJ-8FP90 | 3/4 - 16 | 1/2 - 14 |
| 10MJ-8FP90 | 7/8 - 14 | 1/2 - 14 |
| 12MJ-12FP90 | 1 1/16 - 12 | 3/4 - 14 |
| 14MJ-12FP90 | 1 3/16 - 12 | 3/4 - 14 |
| 16MJ-16FP90 | 1 5/16 - 12 | 1 - 11 1/2 |
| 20MJ-20FP90 | 1 9/16 - 12 | 1 1/4 - 11 1/2 |
| 24MJ-24FP90 | 1 7/8 - 12 | 1 1/2 - 11 1/2 |
| 32MJ-32FP90 | 2 1/2 - 12 | 2 - 11 1/2 |

**Swivel
Female JIC
37° Flare to
Male Pipe
90°**




| SPECIFICATIONS | | |
|----------------|-------------|----------------|
| RB&H # | 1 | 2 |
| 4FJX-2MP90 | 7/16 - 20 | 1/8 - 27 |
| 6FJX-4MP90 | 9/16 - 18 | 1/4 - 18 |
| 8FJX-6MP90 | 3/4 - 16 | 3/8 - 18 |
| 10FJX-8MP90 | 7/8 - 14 | 1/2 - 14 |
| 12FJX-12MP90 | 1 1/16 - 12 | 3/4 - 14 |
| 16FJX-16MP90 | 1 5/16 - 12 | 1 - 11 1/2 |
| 20FJX-20MP90 | 1 9/16 - 12 | 1 1/4 - 11 1/2 |
| 24FJX-24MP90 | 1 7/8 - 12 | 1 1/2 - 11 1/2 |
| 32FJX-32MP90 | 2 1/2 - 12 | 2 - 11 1/2 |

**Swivel
Female JIC
37° Flare to
Male Pipe
Straight**




| SPECIFICATIONS | | |
|----------------|-------------|----------------|
| RB&H # | 1 | 2 |
| 4FJX-4MP | 7/16 - 20 | 1/4 - 18 |
| 5FJX-4MP | 1/2 - 20 | 1/4 - 18 |
| 6FJX-4MP | 9/16 - 18 | 1/4 - 18 |
| 6FJX-6MP | 9/16 - 18 | 3/8 - 18 |
| 8FJX-6MP | 3/4 - 16 | 3/8 - 18 |
| 8FJX-8MP | 3/4 - 16 | 1/2 - 14 |
| 10FJX-6MP | 7/8 - 14 | 3/8 - 18 |
| 10FJX-8MP | 7/8 - 14 | 1/2 - 14 |
| 12FJX-8MP | 1 1/16 - 12 | 1/2 - 14 |
| 12FJX-12MP | 1 1/16 - 12 | 3/4 - 14 |
| 16FJX-12MP | 1 5/16 - 12 | 3/4 - 14 |
| 16FJX-16MP | 1 5/16 - 12 | 1 - 11 1/2 |
| 20FJX-20MP | 1 9/16 - 12 | 1 1/4 - 11 1/2 |

**Male JIC
37° Flare to
Male JIC
37° Flare to
Female Pipe
Straight Tee**




| SPECIFICATIONS | | | |
|----------------|-------------|-------------|----------------|
| RB&H # | 1 | 2 | 3 |
| 4MJ-4MJ-2FP | 7/16 - 20 | 7/16 - 20 | 1/8 - 27 |
| 4MJ-4MJ-4FP | 7/16 - 20 | 7/16 - 20 | 1/4 - 18 |
| 5MJ-5MJ-2FP | 1/2 - 20 | 1/2 - 20 | 1/8 - 27 |
| 6MJ-6MJ-4FP | 9/16 - 18 | 9/16 - 18 | 1/4 - 18 |
| 6MJ-6MJ-6FP | 9/16 - 18 | 9/16 - 18 | 3/8 - 18 |
| 8MJ-8MJ-6FP | 3/4 - 16 | 3/4 - 16 | 3/8 - 18 |
| 8MJ-8MJ-8FP | 3/4 - 16 | 3/4 - 16 | 1/2 - 14 |
| 10MJ-10MJ-8FP | 7/8 - 14 | 7/8 - 14 | 1/2 - 14 |
| 12MJ-12MJ-12FP | 1 1/16 - 12 | 1 1/16 - 12 | 3/4 - 14 |
| 14MJ-14MJ-12FP | 1 3/16 - 12 | 1 3/16 - 12 | 3/4 - 14 |
| 16MJ-16MJ-16FP | 1 5/16 - 12 | 1 5/16 - 12 | 1 - 11 1/2 |
| 20MJ-20MJ-20FP | 1 9/16 - 12 | 1 9/16 - 12 | 1 1/4 - 11 1/2 |
| 24MJ-24MJ-24FP | 1 7/8 - 12 | 1 7/8 - 12 | 1 1/2 - 11 1/2 |
| 32MJ-32MJ-32FP | 2 1/2 - 12 | 2 1/2 - 12 | 2 - 11 1/2 |

**Female Pipe
to Swivel
Female JIC
37° Flare
Coupler**



| SPECIFICATIONS | | |
|----------------|----------|-------------|
| RB&H # | 1 | 2 |
| 6FP-6FJX | 3/8 - 18 | 9/16 - 18 |
| 6FP-8FJX | 3/8 - 18 | 3/4 - 16 |
| 8FP-8FJX | 1/2 - 14 | 3/4 - 16 |
| 8FP-10FJX | 1/2 - 14 | 7/8 - 14 |
| 12FP-12FJX | 3/4 - 14 | 1 1/16 - 12 |

**Male JIC
37° Flare to
Male Pipe to
Male JIC
37° Flare
Tee**



| SPECIFICATIONS | | | |
|----------------|-------------|----------------|-------------|
| RB&H # | 1 | 2 | 3 |
| 4MJ-2MP-4MJ | 7/16 - 20 | 1/8 - 27 | 7/16 - 20 |
| 4MJ-4MP-4MJ | 7/16 - 20 | 1/4 - 18 | 7/16 - 20 |
| 5MJ-2MP-5MJ | 1/2 - 20 | 1/8 - 27 | 1/2 - 20 |
| 6MJ-4MP-6MJ | 9/16 - 18 | 1/4 - 18 | 9/16 - 18 |
| 6MJ-6MP-6MJ | 9/16 - 18 | 3/8 - 18 | 9/16 - 18 |
| 8MJ-6MP-8MJ | 3/4 - 16 | 3/8 - 18 | 3/4 - 16 |
| 8MJ-8MP-8MJ | 3/4 - 16 | 1/2 - 14 | 3/4 - 16 |
| 10MJ-8MP-10MJ | 7/8 - 14 | 1/2 - 14 | 7/8 - 14 |
| 12MJ-12MP-12MJ | 1 1/16 - 12 | 3/4 - 14 | 1 1/16 - 12 |
| 14MJ-12MP-14MJ | 1 3/16 - 12 | 3/4 - 14 | 1 3/16 - 12 |
| 16MJ-16MP-16MJ | 1 5/16 - 12 | 1 - 11 1/2 | 1 5/16 - 12 |
| 20MJ-20MP-20MJ | 1 9/16 - 12 | 1 1/4 - 11 1/2 | 1 9/16 - 12 |
| 24MJ-24MP-24MJ | 1 7/8 - 12 | 1 1/2 - 11 1/2 | 1 7/8 - 12 |
| 32MJ-32MP-32MJ | 2 1/2 - 12 | 2 - 11 1/2 | 2 1/2 - 12 |


HYDRAULIC ADAPTERS

JIC ADAPTERS

SPECIFICATIONS

| RB&H # | 1 | 2 | 3 |
|----------|-------------|---|---|
| 4MJ-TEE | 7/16 - 20 | | |
| 5MJ-TEE | 1/2 - 20 | | |
| 6MJ-TEE | 9/16 - 18 | | |
| 8MJ-TEE | 3/4 - 16 | | |
| 10MJ-TEE | 7/8 - 14 | | |
| 12MJ-TEE | 1 1/16 - 12 | | |
| 14MJ-TEE | 1 3/16 - 12 | | |
| 16MJ-TEE | 1 5/16 - 12 | | |
| 20MJ-TEE | 1 5/8 - 12 | | |
| 24MJ-TEE | 1 7/8 - 12 | | |
| 32MJ-TEE | 2 1/2 - 12 | | |


**Male JIC
37° Flare Tee**



SPECIFICATIONS

| RB&H # | 1 | 2 |
|-------------|-------------|---|
| 4MJ-4MJ90 | 7/16 - 20 | |
| 5MJ-5MJ90 | 1/2 - 20 | |
| 6MJ-6MJ90 | 9/16 - 18 | |
| 8MJ-8MJ90 | 3/4 - 16 | |
| 10MJ-10MJ90 | 7/8 - 14 | |
| 12MJ-12MJ90 | 1 1/16 - 12 | |
| 14MJ-14MJ90 | 1 3/16 - 12 | |
| 16MJ-16MJ90 | 1 5/16 - 12 | |
| 20MJ-20MJ90 | 1 5/8 - 12 | |
| 24MJ-24MJ90 | 1 7/8 - 12 | |
| 32MJ-32MJ90 | 2 1/2 - 12 | |


**Male JIC
37° Flare to
Male JIC
37° Flare 90°**



SPECIFICATIONS

| RB&H # | 1 | 2 | 3 |
|----------------|-------------|----------------|---|
| 4MJ-4MJ-2MP | 7/16 - 20 | 1/8 - 27 | |
| 4MJ-4MJ-4MP | 7/16 - 20 | 1/4 - 18 | |
| 5MJ-5MJ-2MP | 1/2 - 20 | 1/8 - 27 | |
| 5MJ-5MJ-4MP | 1/2 - 20 | 1/4 - 18 | |
| 6MJ-6MJ-4MP | 9/16 - 18 | 1/4 - 18 | |
| 6MJ-6MJ-6MP | 9/16 - 18 | 3/8 - 18 | |
| 8MJ-8MJ-6MP | 3/4 - 16 | 3/8 - 18 | |
| 8MJ-8MJ-8MP | 3/4 - 16 | 1/2 - 14 | |
| 10MJ-10MJ-8MP | 7/8 - 14 | 1/2 - 14 | |
| 12MJ-12MJ-12MP | 1 1/16 - 12 | 3/4 - 14 | |
| 14MJ-14MJ-12MP | 1 3/16 - 12 | 3/4 - 14 | |
| 16MJ-16MJ-16MP | 1 5/16 - 12 | 1 - 11 1/2 | |
| 20MJ-20MJ-20MP | 1 5/8 - 12 | 1 1/4 - 11 1/2 | |
| 24MJ-24MJ-24MP | 1 7/8 - 12 | 1 1/2 - 11 1/2 | |
| 32MJ-32MJ-32MP | 2 1/2 - 12 | 2 - 11 1/2 | |


**Male JIC
37° Flare to
Male JIC
37° Flare to
Male Pipe
Straight Tee**



SPECIFICATIONS

| RB&H # | 1 | 2 | 3 | 4 |
|------------|-------------|---|---|---|
| 4MJ-CROSS | 7/16 - 20 | | | |
| 5MJ-CROSS | 1/2 - 20 | | | |
| 6MJ-CROSS | 9/16 - 18 | | | |
| 8MJ-CROSS | 3/4 - 16 | | | |
| 10MJ-CROSS | 7/8 - 14 | | | |
| 12MJ-CROSS | 1 1/16 - 12 | | | |
| 14MJ-CROSS | 1 3/16 - 12 | | | |
| 16MJ-CROSS | 1 5/16 - 12 | | | |
| 20MJ-CROSS | 1 5/8 - 12 | | | |
| 24MJ-CROSS | 1 7/8 - 12 | | | |


**Male JIC
37° Flare
Cross**



SPECIFICATIONS

| RB&H # | 1 | 2 |
|-----------|-------------|-------------|
| 4MJ-4MJ | 7/16 - 20 | 7/16 - 20 |
| 5MJ-5MJ | 1/2 - 20 | 1/2 - 20 |
| 6MJ-4MJ | 9/16 - 18 | 7/16 - 20 |
| 6MJ-6MJ | 9/16 - 18 | 9/16 - 18 |
| 8MJ-6MJ | 3/4 - 16 | 9/16 - 18 |
| 8MJ-8MJ | 3/4 - 16 | 3/4 - 16 |
| 10MJ-8MJ | 7/8 - 14 | 3/4 - 16 |
| 10MJ-10MJ | 7/8 - 14 | 7/8 - 14 |
| 12MJ-10MJ | 1 1/16 - 12 | 7/8 - 14 |
| 12MJ-12MJ | 1 1/16 - 12 | 1 1/16 - 12 |
| 14MJ-14MJ | 1 3/16 - 12 | 1 3/16 - 12 |
| 16MJ-16MJ | 1 5/16 - 12 | 1 5/16 - 12 |
| 20MJ-20MJ | 1 5/8 - 12 | 1 5/8 - 12 |
| 24MJ-24MJ | 1 7/8 - 12 | 1 7/8 - 12 |
| 32MJ-32MJ | 2 1/2 - 12 | 2 1/2 - 12 |


**Male JIC
37° Flare to
Male JIC
37° Flare**



SPECIFICATIONS

| RB&H # | 1 | 2 |
|---------------|-------------|---|
| 4MJ-BLKHD-UN | 7/16 - 20 | |
| 5MJ-BLKHD-UN | 1/2 - 20 | |
| 6MJ-BLKHD-UN | 9/16 - 18 | |
| 8MJ-BLKHD-UN | 3/4 - 16 | |
| 10MJ-BLKHD-UN | 7/8 - 14 | |
| 12MJ-BLKHD-UN | 1 1/16 - 12 | |
| 16MJ-BLKHD-UN | 1 5/16 - 12 | |


**Male JIC
37° Flare
Bulkhead
Union**



SPECIFICATIONS

| RB&H # | 1 | 2 |
|-----------------|-------------|------------|
| 4MJ-2FP-BLKHD | 7/16 - 20 | 1/8 - 27 |
| 6MJ-4FP-BLKHD | 9/16 - 18 | 1/4 - 18 |
| 8MJ-6FP-BLKHD | 3/4 - 16 | 3/8 - 18 |
| 10MJ-8FP-BLKHD | 7/8 - 14 | 1/2 - 14 |
| 12MJ-12FP-BLKHD | 1 1/16 - 12 | 3/4 - 14 |
| 14MJ-12FP-BLKHD | 1 3/16 - 12 | 3/4 - 14 |
| 16MJ-16FP-BLKHD | 1 5/16 - 12 | 1 - 11 1/2 |


**Male JIC
37° Flare to
Female Pipe
Bulkhead
Straight**



HYDRAULIC ADAPTERS


JIC ADAPTERS

**Male JIC
37° Flare
Bulkhead 45°**




| SPECIFICATIONS | | |
|----------------|-------------|---|
| RB&H # | 1 | 2 |
| 4MJ-BLKHD-45 | 7/16 - 20 | |
| 5MJ-BLKHD-45 | 1/2 - 20 | |
| 6MJ-BLKHD-45 | 9/16 - 18 | |
| 8MJ-BLKHD-45 | 3/4 - 16 | |
| 10MJ-BLKHD-45 | 7/8 - 14 | |
| 12MJ-BLKHD-45 | 1 1/16 - 12 | |
| 16MJ-BLKHD-45 | 1 5/16 - 12 | |

**Male JIC
37° Flare to
Swivel
Female JIC
37° Flare
45° Elbow**




| SPECIFICATIONS | | |
|----------------|-------------|---|
| RB&H # | 1 | 2 |
| 4MJ-4FJX45 | 7/16 - 20 | |
| 6MJ-6FJX45 | 9/16 - 18 | |
| 8MJ-8FJX45 | 3/4 - 16 | |
| 10MJ-10FJX45 | 7/8 - 14 | |
| 12MJ-12FJX45 | 1 1/16 - 12 | |
| 16MJ-16 FJX45 | 1 5/16 - 12 | |
| 20MJ-20FJX45 | 1 5/8 - 12 | |
| 24MJ-24FJX45 | 1 7/8 - 12 | |
| 32MJ-32FJX45 | 2 1/2 - 12 | |

**Male JIC
37° Flare
Bulkhead 90°**




| SPECIFICATIONS | | |
|----------------|-------------|---|
| RB&H # | 1 | 2 |
| 4MJ-BLKHD-90 | 7/16 - 20 | |
| 5MJ-BLKHD-90 | 1/2 - 20 | |
| 6MJ-BLKHD-90 | 9/16 - 18 | |
| 8MJ-BLKHD-90 | 3/4 - 16 | |
| 10MJ-BLKHD-90 | 7/8 - 14 | |
| 12MJ-BLKHD-90 | 1 1/16 - 12 | |
| 16MJ-BLKHD-90 | 1 5/16 - 12 | |

**Male JIC
37° Flare to
Swivel
Female JIC
37° Flare
90° Elbow**




| SPECIFICATIONS | | |
|----------------|-------------|---|
| RB&H # | 1 | 2 |
| 4MJ-4FJX90 | 7/16 - 20 | |
| 5MJ-5FJX90 | 1/2 - 20 | |
| 6MJ-6FJX90 | 9/16 - 18 | |
| 8MJ-8FJX90 | 3/4 - 16 | |
| 10MJ-10FJX90 | 7/8 - 14 | |
| 12MJ-12FJX90 | 1 1/16 - 12 | |
| 14MJ-14FJX90 | 1 3/16 - 12 | |
| 16MJ-16FJX90 | 1 5/16 - 12 | |
| 20MJ-20FJX90 | 1 5/8 - 12 | |
| 24MJ-24FJX90 | 1 7/8 - 12 | |
| 32MJ-32FJX90 | 2 1/2 - 12 | |

**Male JIC
37° Flare to
Bulkhead
Straight Tee**



| SPECIFICATIONS | | | |
|----------------|-------------|---|---|
| RB&H # | 1 | 2 | 3 |
| 4MJ-BLKHD-TEE | 7/16 - 20 | | |
| 6MJ-BLKHD-TEE | 9/16 - 18 | | |
| 8MJ-BLKHD-TEE | 3/4 - 16 | | |
| 10MJ-BLKHD-TEE | 7/8 - 14 | | |
| 12MJ-BLKHD-TEE | 1 1/16 - 12 | | |

**Male JIC
37° Flare to
Swivel
Female JIC
37° Flare to
Male JIC
37° Flare
Swivel Run
Tee**



| SPECIFICATIONS | | | |
|-----------------|-------------|---|---|
| RB&H # | 1 | 2 | 3 |
| 4MJ-4FJX-4MJ | 7/16 - 20 | | |
| 5MJ-5FJX-5MJ | 1/2 - 20 | | |
| 6MJ-6FJX-6MJ | 9/16 - 18 | | |
| 8MJ-8FJX-8MJ | 3/4 - 16 | | |
| 10MJ-10FJX-10MJ | 7/8 - 14 | | |
| 12MJ-12FJX-12MJ | 1 1/16 - 12 | | |
| 14MJ-14FJX-14MJ | 1 3/16 - 12 | | |
| 16MJ-16FJX-16MJ | 1 5/16 - 12 | | |
| 20MJ-20FJX-20MJ | 1 5/8 - 12 | | |
| 24MJ-24FJX-24MJ | 1 7/8 - 12 | | |
| 32MJ-32FJX-32MJ | 2 1/2 - 12 | | |


HYDRAULIC ADAPTERS

JIC ADAPTERS

SPECIFICATIONS

| RB&H # | 1 | 2 | 3 |
|-----------------|-------------|---|---|
| 4MJ-4MJ-4FJX | 7/16 - 20 | | |
| 5MJ-5MJ-5FJX | 1/2 - 20 | | |
| 6MJ-6MJ-6FJX | 9/16 - 18 | | |
| 8MJ-8MJ-8FJX | 3/4 - 16 | | |
| 10MJ-10MJ-10FJX | 7/8 - 14 | | |
| 12MJ-12MJ-12FJX | 1 1/16 - 12 | | |
| 14MJ-14MJ-14FJX | 1 3/16 - 12 | | |
| 16MJ-16MJ-16FJX | 1 5/16 - 12 | | |
| 20MJ-20MJ-20FJX | 1 5/8 - 12 | | |
| 24MJ-24MJ-24FJX | 1 7/8 - 12 | | |
| 32MJ-32MJ-32FJX | 2 1/2 - 12 | | |

**Male JIC
37° Flare to
Male JIC
37° Flare to
Swivel Female
JIC 37° Flare
Swivel
Branch Tee**



SPECIFICATIONS

| RB&H # | 1 | 2 |
|---------------|-------------|-------|
| 8MJ-8FL45 | 3/4 - 16 | 1/2 |
| 8MJ-12FL45 | 3/4 - 16 | 3/4 |
| 10MJ-10FLK45* | 7/8 - 14 | 5/8 |
| 12MJ-12FL45 | 1 1/16 - 12 | 3/4 |
| 16MJ-16FL45 | 1 5/16 - 12 | 1 |
| 16MJ-20FL45 | 1 5/16 - 12 | 1 1/4 |
| 20MJ-20FL45 | 1 5/8 - 12 | 1 1/4 |
| 20MJ-24FL45 | 1 5/8 - 12 | 1 1/2 |
| 24MJ-24FL45 | 1 7/8 - 12 | 1 1/2 |
| 32MJ-32FL45 | 2 1/2 - 12 | 2 |

**Male JIC
37° Flare to
O-Ring
Flange 45°
CODE 61**




* 34mm metric flange(Komatsu, Link Belt, etc.)
Order O-Ring separately

SPECIFICATIONS

| RB&H # | 1 | 2 |
|-----------|-------------|-------------|
| 6FJ-4MJ | 9/16 - 18 | 7/16 - 20 |
| 8FJ-4MJ | 3/4 - 16 | 7/16 - 20 |
| 8FJ-6MJ | 3/4 - 16 | 9/16 - 18 |
| 10FJ-4MJ | 7/8 - 14 | 7/16 - 20 |
| 10FJ-6MJ | 7/8 - 14 | 9/16 - 18 |
| 10FJ-8MJ | 7/8 - 14 | 3/4 - 16 |
| 12FJ-4MJ | 1 1/16 - 12 | 7/16 - 20 |
| 12FJ-6MJ | 1 1/16 - 12 | 9/16 - 18 |
| 12FJ-8MJ | 1 1/16 - 12 | 3/4 - 16 |
| 12FJ-10MJ | 1 1/16 - 12 | 7/8 - 14 |
| 14FJ-6MJ | 1 3/16 - 12 | 9/16 - 18 |
| 14FJ-8MJ | 1 3/16 - 12 | 3/4 - 16 |
| 14FJ-10MJ | 1 3/16 - 12 | 7/8 - 14 |
| 14FJ-12MJ | 1 3/16 - 12 | 1 1/16 - 12 |
| 16FJ-8MJ | 1 5/16 - 12 | 3/4 - 16 |
| 16FJ-10MJ | 1 5/16 - 12 | 7/8 - 14 |
| 16FJ-12MJ | 1 5/16 - 12 | 1 1/16 - 12 |
| 16FJ-14MJ | 1 5/16 - 12 | 1 3/16 - 12 |
| 20FJ-12MJ | 1 5/8 - 12 | 1 1/16 - 12 |
| 20FJ-16MJ | 1 5/8 - 12 | 1 5/16 - 12 |
| 24FJ-20MJ | 1 7/8 - 12 | 1 5/8 - 12 |


**Female JIC
37° Flare to
Male JIC
37° Flare**



SPECIFICATIONS

| RB&H # | 1 | 2 |
|---------------|-------------|-------|
| 8MJ-8FL90 | 3/4 - 16 | 1/2 |
| 8MJ-12FL90 | 3/4 - 16 | 3/4 |
| 10MJ-10FLK90* | 7/8 - 14 | 5/8 |
| 12MJ-12FL90 | 1 1/16 - 12 | 3/4 |
| 16MJ-16FL90 | 1 5/16 - 12 | 1 |
| 16MJ-20FL90 | 1 5/16 - 12 | 1 1/4 |
| 20MJ-16FL90 | 1 5/8 - 12 | 1 |
| 20MJ-20FL90 | 1 5/8 - 12 | 1 1/4 |
| 20MJ-24FL90 | 1 5/8 - 12 | 1 1/2 |
| 24MJ-24FL90 | 1 7/8 - 12 | 1 1/2 |
| 32MJ-32FL90 | 2 1/2 - 12 | 2 |

**Male JIC
37° Flare to
O-Ring
Flange 90°
CODE 61**




* 34mm metric flange(Komatsu, Link Belt, etc.)
Order O-Ring separately

May be two piece w/nut and body

SPECIFICATIONS

| RB&H # | 1 | 2 |
|-------------|-------------|-------|
| 8MJ-8FL | 3/4 - 16 | 1/2 |
| 8MJ-12FL | 3/4 - 16 | 3/4 |
| 10MJ-10FLK* | 7/8 - 14 | 5/8 |
| 12MJ-12FL | 1 1/16 - 12 | 3/4 |
| 16MJ-16FL | 1 5/16 - 12 | 1 |
| 16MJ-20FL | 1 5/16 - 12 | 1 1/4 |
| 20MJ-20FL | 1 5/8 - 12 | 1 1/4 |
| 24MJ-24FL | 1 7/8 - 12 | 1 1/2 |
| 32MJ-32FL | 2 1/2 - 12 | 2 |

**Male JIC
37° Flare to
O-Ring
Flange
CODE 61**




* 34mm metric flange(Komatsu, Link Belt, etc.)
Order O-Ring separately

SPECIFICATIONS

| RB&H # | 1 | 2 |
|-----------|-------|----------------|
| 12FL-12FP | 3/4 | 3/4 - 14 |
| 16FL-16FP | 1 | 1 - 11 1/2 |
| 20FL-20FP | 1 1/4 | 1 1/4 - 11 1/2 |
| 24FL-24FP | 1 1/2 | 1 1/2 - 11 1/2 |
| 32FL-32FP | 2 | 2 - 11 1/2 |

**Flange to
Female
Pipe
Straight
CODE 61**



Includes (4) bolts w/washers and (1) O-Ring

HYDRAULIC ADAPTERS

JIC ADAPTERS

**Flange
Half Set**

CODE 61
SAE J518



| SPECIFICATIONS | |
|----------------|-------|
| RB&H # | IN. |
| 8FH | 1/2 |
| 12FH | 3/4 |
| 16FH | 1 |
| 20FH | 1 1/4 |
| 24FH | 1 1/2 |
| 32FH | 2 |

Includes (2) halves, (4) bolts w/washers,
and (1) O-Ring

**Flange
O-Ring**



| SPECIFICATIONS | |
|----------------|--|
| RB&H # | |
| 8FLOR | |
| 10FLOR | |
| 12FLOR | |
| 16FLOR | |
| 20FLOR | |
| 24FLOR | |
| 32FLOR | |

CODE 62
SAE J518



| SPECIFICATIONS | |
|----------------|--|
| RB&H # | |
| 8FHHS | |
| 12FHHS | |
| 16FHHS | |
| 20FHHS | |
| 24FHHS | |
| 32FHHS | |

Includes (2) halves, (4) bolts w/ washers,
and (1) O-Ring

Caterpillar-Style Flange Half Sets

Each set contains:

- 2 flange halves
- 1 O-Ring
- 4 bolts with lock washers



| SPECIFICATIONS | | | |
|----------------|----------------------|---|----------------------|
| RB&H # | NOM. FLG. SIZE (IN.) | CENTER BOLT HOLE TO CENTER BOLT HOLE A (IN.) | BOLT HOLE B (IN.) |
| 12CATFHS | 3/4 | 2.00 | 0.41 |
| 16CATFHS | 1 | 2.25 | 0.47 |
| 20CATFHS | 1 - 1/4 | 2.63 | 0.53 |
| 24CATFHS | 1 - 1/2 | 3.13 | 0.66 |
| 32CATFHS | 2 | 3.81 | 0.78 |