

**AGRICULTURAL PARTS**

**FARM ACCESSORIES**

**Hitch Pins  
Red Head**



**FEATURES:**

- Heat treated
- Red PVC dipped handle
- Black finished pin
- 5 pieces/carton

SPECIFICATIONS		
RB&H #	DIA LENGTH (IN.)	USEABLE LENGTH
M1195	1/2	3 5/8
M1200	5/8	4
M1218	5/8	5 1/2
M1205	3/4	4
M1220	3/4	6 1/2
M1225	7/8	6 1/2
M1230	1	7 1/2
M1240	1 1/8	8 1/2
M1250	1 1/4	8 1/2
M1271	1 1/2	8 1/2

**Wire Handle Display**




Includes 24 pins and merchandiser rack

**DISPLAY PART #3048/F**

RB&H #	DESCRIPTION	QUANTITY (PCS.)
14880/F	Hitch Pins w/wire stand	6
14890/F	"	6
15210/F	"	6
17880/F	"	3
17890/F	"	3

**Red Head Display**

Includes 29 pins and merchandiser rack




**DISPLAY PART #3046/F**

RB&H #	DIA LENGTH (IN.)	USEABLE LENGTH
M1218	Red handle hitch pins	6
M1205	with wire stand	8
M1220	"	8
M1225	"	4
M1230	"	3

**Handle-Lok**

**FEATURES:**

- High carbon steel pin
- Spring steel handle
- Gold zinc plated
- 5 pieces/carton



**SPECIFICATIONS**

RB&H #	DIA (IN.)	USEABLE LENGTH (IN.)
15195/F	1/2	4 1/4
15205/F	5/8	4 1/4
14895/F	3/4	6 1/4
17885/F	7/8	6 1/4
17895/F	1	6 1/4

**Wire Handle**

**FEATURES:**

- High carbon steel pin
- Gold zinc plated w/clip or w/linch pin and chain
- 5 pieces/carton



**SPECIFICATIONS**

RB&H # W/ CLIP	RB&H # W/ CHAIN	DIA. (IN.)	USEABLE LENGTH (IN.)
15190/F	-	1/2	3 1/2
15200/F	15201/F	5/8	4 1/4
14880/F	14881/F	5/8	6 1/4
15210/F	15211/F	3/4	4 1/4
14890/F	14891/F	3/4	6 1/4
17880/F	17881/F	7/8	6 1/4
17890/F	17891/F	1	6 1/4
17900/F	17901/F	1 1/8	6 1/4
18000/F	18001/F	1 1/4	6 1/4

To order by phone: **1-800-669-9650**

To order by fax: **1-800-736-0141**

**AGRICULTURAL PARTS**

**FARM ACCESSORIES**



**Hair Pins**

<b>SPECIFICATIONS</b>			
RB&H #	WIRE DIA. (IN.)	OVERALL LENGTH (IN.)	FITS PIN DIA (IN.)
7/F	3/32 Hair Pin	2 5/16	1/4 to 5/8
8/F	5/64 Hair Pin	1 3/4	5/16 to 1/2
9/F	3/32 Hair Pin	1 3/4	3/8 to 5/8
10/F	1/8 Hair Pin	2 1/16	1/2 to 7/8
12/F	5/32 Hair Pin	3	5/8 to 1
13/F	3/16 Hair Pin	4 3/16	3/4 to 1 1/4
14/F	1/4 Hair Pin	4 1/4	7/8 to 1 1/2
15/F	5/16 Hair Pin	3 7/8	3/4 to 1 1/4
17/F	5/16 Hair Pin	4	1



**Hair Pin Display**

Display Part #1005/F includes:

- Merchandiser box

<b>KIT CONTENTS</b>	
RB&H #	QUANTITY (PCS.)
8/F	20
9/F	30
10/F	20
12/F	20
13/F	8
15/F	5



**Lock Pins**

<b>SPECIFICATIONS</b>				
RB&H #	DESCRIPTION	TYPE	PIN DIA. (IN.)	USEABLE LENGTH (IN.)
266/F	Lock Pin	Round	5/16	2 1/4
276/F	Lock Pin	Square	5/16	2 1/4



**Lock Pins Display**

Display Part #1060/F includes:

- Merchandiser box

<b>KIT CONTENTS</b>			
RB&H #	FITS PIN DIA. (IN.)	QUANTITY (PCS.)	SHAPE
264/F	1/4	8	Round
265/F	3/8	8	Round
266/F	5/16	28	Round
275/F	3/8	8	Square
276/F	5/16	8	Square



**Linch Pins**

<b>SPECIFICATIONS</b>		
RB&H #	PIN DIA. (IN.)	CATEGORY
3548/F	3/16	0
2704/F	1/4	1
2709/F	5/16	1, 2
2703/F	7/16	1, 2
2698/F	7/16 XL	1, 2, 3
3027/F	7/16 BLK	1, 2, 3



**Linch Pins**

**Linch Pin Display**

Display includes:

- Merchandiser box

<b>SPECIFICATIONS</b>			
DISPLAY PART #	RB&H #	DESCRIPTION	QUANTITY (PCS.)
1045/F	2703/F	7/16" pin	150

**AGRICULTURAL PARTS**

**FARM ACCESSORIES**

**Top Links**



**SPECIFICATIONS**

RB&H #	CATAGORY	PIN HOLES (IN.)	THREAD DIAM. (IN.)	OVERALL BODY (IN.)	FORGED/HOLD CENTERS (IN/)
3470/F	0	5/8	3/4	7 1/2	10 3/4...16 3/8
338/F	1 & 2	3/4 & 1	1 1/8	16	20 3/4...31
3473/F	2 HD	1	1 1/4	15	20 1/2...31 1/2

**Pins**



**SPECIFICATIONS**

RB&H #	CATAGORY	DIA. (IN.)	USEABLE LENGTH (IN.)
3173/F	0	5/8	2 3/4
73/F	1	3/4	2 3/4
74/F	1	3/4	3 7/8
77/F	1	3/4	4 3/4
76/F	2	1	3 9/16
3011/F	2	1	4 5/16
3026/F	3	1 1/4	4 7/16

**Replacement Ends**



**SPECIFICATIONS**

RB&H #	CATAGORY	PIN HOLES (IN.)	THREAD DIA. (IN.)
342/F	1 LH	3/4	1 1/8
343/F	1 RH	1	1 1/8
346/F	2 LH	1	1 1/8
347/F	2 RH	1	1 1/8
3246/F	2 LH	1	1 1/4
3244/F	2 RH	1	1 1/4
4951/F	3 LH	1 1/4	1 3/8
4950/F	3 RH	1 1/4	1 3/8

**Lift Arm**



**SPECIFICATIONS**

RB&H #	FITS	CATAGORY	PIN HOLES (IN.)	BALL HOLE CENTERS (IN.)
500/F	RH or LH - All Ferguson-Massey 35 & 50, Ford 2N, 8N, 9N, NAA; Deere 1010	1	7/8	31 3/4

**AGRICULTURAL PARTS**

**FARM ACCESSORIES**

**Linkage Pin Rack Display**

SPECIFICATIONS		
PART #	CONTAINS	SIZES
3040/F	41 pins in 12 sizes	4 x 73/F, 4 x 74/F, 3 x 76/F, 3 x 3011/F, 4 x 211/F, 4 x 200/F, 3 x 3000/F, 3 x 3004/F, 3 x 3001/F, 3 x 202/F, 4 x 3002/F, 3 x 3006/F



includes:  
• Merchandiser Rack

**Linkage Pins**

SPECIFICATIONS					
RB&H #	CATEGORY	PIN DIA. (IN.)	THREAD DIA. (IN.)	OVERALL LENGTH (IN.)	FORGED/ ADJ.
3137/F	0	5/8	5/8	4	Adj.
211/F	1	7/8	7/8	5 5/16	Adj.
200/F	1	7/8	7/8	5 1/2	Forged
3000/F	1XL	7/8	7/8	6 1/4	Adj.
3004/F	1XL	7/8	7/8	6 1/2	Forged
202/F	1 to 2	1 1/8	7/8	5 1/4	Forged
3178/F	1 to 2XL	1 1/8	7/8	6 5/16	Forged
3022/F	2 to 1	7/8	1 1/8	5 3/4	Forged
3006/F	2	1 1/8	1 1/8	6 1/4	Forged
3005/F	2 to 3	1 7/16	1 1/8	5 7/8	Forged
3007/F	3	1 7/16	1 3/8	5 7/8	Forged
3039/F	2 & 3	1 1/8 & 1 7/16	N/A	9 1/4	Clevis



**Bushings**



**Bushings Display**

Display Part #1056/F includes:  
• Merchandiser box

SPECIFICATIONS					
RB&H #	TYPE	CATEGORY	I.D. (IN.)	O.D. (IN.)	OVERALL LENGTH (IN.)
351/F	Lower	1 to 2	7/8	1 1/8	1 3/4
3009/F	Lower	2 to 3	1 1/8	1 7/16	1 3/4
3010/F	Lower w/hole	2 to 3	1 1/8	1 7/16	2 1/2
353/F	Top	1 to 2	3/4	1	2
3008/F	Top	2 to 3	1	1 1/4	2

DISPLAY INCLUDES		
RB&H #	QTY. (PCS.)	SIZE (IN.)
353/F	10	3/4 to 1
3008/F	6	1 to 1 1/4
3009/F	6	1 1/8 to 1 7/16
3010/F	4	1 1/8
351/F	28	1 1/8 to 1 3/4

**AGRICULTURAL PARTS**

**FARM ACCESSORIES**

**Replacement Balls**

**All Makes**



<b>SPECIFICATIONS</b>					
RB&H #	CATEGORY	TYPE	PIN HOLE (IN.)	O.D. (IN.)	DIM. "A" BORE (IN.)
56/F	1	Lift arm - Ford	7/8	2 1/4	5
57/F	2	Lift arm - Ford	1 1/8	2 1/4	5
3057/F	2	Lift arm - Ford narrow	1 1/8	2 1/4	5
3054/F	1	Top link Deere	3/4	2	5
3055/F	2	Lift arm - Oliver	1	2	5
3056/F	2	Lift arm - Ford	1 1/8	2	5

**Weld-On**



<b>SPECIFICATIONS</b>		
RB&H #	CATEGORY	TYPE
310/F	1	Top Link
311/F	2	Top Link
1338/F	1	Lift Arm
1342/F	2	Lift Arm
1344/F	3	Lift Arm
1351/F	1	Lift Arm (bent)
1352/F	2	Lift Arm (bent)

**Stabilizer**

**Pins**



<b>SPECIFICATIONS</b>						
RB&H #	DESCRIPTION	PIN DIA. (IN.)	THREAD DIA. (IN.)	USEABLE (IN.)	OVERALL LENGTH (IN.)	REPLACES
3169/F	Pin	7/8	5/8	3/8	2 5/8	Ford 320044, MF181777M1
169/F	Pin	7/8	5/8	1/2	2 7/8	"

**Arms**



<b>SPECIFICATIONS</b>				
RB&H #	DESCRIPTION	HOLES (IN.)	CENTERS (IN.)	FITS
176/F	Bar	7/8	31 9/16	All Ferguson MF35 & 50; Ford 2N, 8N, 9N, 600, 800
177/F	Bar	7/8	33 1/8	MF435, 50, 135, 150; 1962 & later to clear
178/F	Bar	7/8	33 1/8 & 34 3/4	Both of Above
159/F	Forged	7/8	27.5...35	Adjustable

**AGRICULTURAL PARTS**

**FARM ACCESSORIES**

**Drawbars**

**SPECIFICATIONS**

RB&H #	CATEGORY	SIZE (IN.)	NUMBER OF HOLSE	HOLE DIA. (IN.)	PIN DIA. (IN.)	THICKNESS (IN.)	WIDTH (IN.)
10419/F*	1	20	7	3/4	7/8	1	2 1/2
10411/F	1	26	11	3/4	7/8	1	2 1/2
10421/F	2	26	11	3/4	1 1/8	1 1/4	3
10432/F	2	32	13	3/4	1 1/8	1 1/4	3

\* Fits Kubota, Satoh, Yanmar, Mitsubishi, and imported models for Ford, MF, Deere and IH



**Ratchet Jack**

**SPECIFICATIONS**

RB&H #	DESCRIPTION	PIN DIA. (IN.)	THREAD DIA. (IN.)	HOLE CENTER ADJUSTMENT (IN.)
1542/F	Ratchet Jack w/pins & handle	1	1 1/4	20...28



**Hydraulic Cylinder Pin Kit**

**SPECIFICATIONS**

RB&H #	DESCRIPTION	PIN DIA. (IN.)	USEABLE (IN.)	OVERALL LENGTH (IN.)	STD. CTN.
1544/F	Hydraulic cylinder pin kit	1	2 3/4	3 1/2	5
17/F	Clip only for 1" pins	-	-	-	5



**AGRICULTURAL PARTS**

**FARM ACCESSORIES**

**Clevis**

**Universal**



<b>SPECIFICATIONS</b>			
RB&H #	PIN DIA. (IN.)	OVERALL LENGTH (IN.)	STD. CTN.
1100/F	1/4	2	25
1101/F	5/16	2	25
1102/F	3/8	2	25
1103/F	7/16	2	25
1104/F	1/2	2	25
1105/F	7/16	2 1/2	25
1106/F	1/2	2 1/2	25
1107/F	7/16	3	10
1108/F	1/2	3	10
1109/F	5/8	3	10
1110/F	3/4	3	10

**Farm  
Screw Pin**



<b>SPECIFICATIONS</b>	
RB&H #	DESCRIPTION (IN.)
M1646	1/4 Screw Clevis
M1647	15/16 Screw Pin Clevis
M1648	3/8 Screw Pin Clevis
M1649	7/16 Screw Pin Clevis
M1650	1/2 Screw Pin Clevis
M1651	5/8 Screw Pin Clevis

**Straight**



<b>SPECIFICATIONS</b>	
RB&H #	DESCRIPTION (IN.)
M8158	5/8 Straight Clevis
M8134	3/4 Straight Clevis
M8878	7/8 Straight Clevis
M8178	7/8 Long Straight Clevis
M8190	15/16 Straight Clevis
M8195	1 Straight Clevis

**Twist**



<b>SPECIFICATIONS</b>	
RB&H #	DESCRIPTION (IN.)
M8258	5/8 Twist Clevis
M8234	3/4 Twist Clevis
M8078	7/8 Twist Clevis
M8278	7/8 Long Twist Clevis
M8290	15/16 Twist Clevis
M8295	1 Twist Clevis

**Farm Utility**



<b>SPECIFICATIONS</b>	
RB&H #	DESCRIPTION (IN.)
M1546	1/4 Utility Clevis
M1547	5/16 Utility Clevis
M1548	3/8 Utility Clevis
M1549	7/16 Utility Clevis
M1550	1/2 Utility Clevis
M1551	5/8 Utility Clevis

**AGRICULTURAL PARTS**

**FARM ACCESSORIES**

**Hooks**

**Grab Hooks**



<b>SPECIFICATIONS</b>			
RB&H #	SIZE (IN.)	GRADE	WORKING LOAD LIMIT (LBS.)
M804Z	1/4	43	2,600
M805Z	5/16	43	3,900
M806Z	3/8	43	5,400
M807Z	7/16	43	7,200
M808Z	1/2	43	9,200
M810Z	5/8	43	11,500
M812Z	3/4	43	16,200

**Slip Hooks**



<b>SPECIFICATIONS</b>			
RB&H #	SIZE (IN.)	GRADE	WORKING LOAD LIMIT (LBS.)
M904Z	1/4	43	2,600
M905Z	5/16	43	3,900
M906Z	3/8	43	5,400
M907Z	7/16	43	7,200
M908Z	1/2	43	9,200

**Mid-Links**

<b>SPECIFICATIONS</b>		
RB&H #	SIZE (IN.)	WORKING LOAD LIMIT (LBS.)
M605	81180	1/4 to 5/16
M606	81380	3/8
M608	81480	7/16 to 1/2



**Load Binders**

**Lever-type Load Binder**



<b>SPECIFICATIONS</b>									
RB&H #	CHAIN GRADE & SIZE G30 (IN.)	CHAIN GRADE & SIZE G43 (IN.)	CHAIN GRADE & SIZE G70 (IN.)	DC CODE	HANDLE LENGTH (IN.)	TAKE-UP (IN.)	WORKING LOAD LIMIT	MIN. ULT. BREAKING STRENGTH	WEIGHT (LBS.)
M104	1/4	1/4	-	36030	11 1/4	0.649"3	2,600	7,800	3.0
M105	1/4	1/4	1/4	36031	16	4 7/8	5,400	19,000	7.0
	5/16	5/16	5/16						
M106	3/8	3/8	—	36032	18 1/2	5 1/8	9,200	28,000	25.20
	5/16	3/8	5/16						
	7/16	7/16	3/8						
	1/2	1/2	-						

Functionally superior to any other on the road. Easier to operate. Locks securely. The handle closes down away from the load with more leverage. Gives more control in binding and releasing without extra tools. Handles are drop forged from special bar quality steel and heat treated. Hooks are heat treated steel. Meets D.O.T. specifications.



**AGRICULTURAL PARTS**

**FARM ACCESSORIES**

# Hitch

## Balls

**AVAILABLE IN:**

- Class I, II, III & IV models
- Polished chrome finish
- Bulk or attractive counter display assortment



Hot forged hitch balls are drop forged from one piece of red hot steel for super strength. Each is manufactured to the Society of Automotive Engineers' specification SAE J684F and meets or exceeds Vehicle Equipment Safety Commission regulations.

**SPECIFICATIONS**

RB&H #	VESC CLASS RATING	MAX LOAD (LBS.)	BALL SIZE (IN.)	THREAD SIZE (IN.)	STUD LENGTH (IN.)
5101/F	I	2,000	1 7/8	3/4	1 3/4
5201/F	II	3,500	2	3/4	1 3/4
5301/F	III	5,000	2	1	2 1/8
5501/F	IV	7,500	2 5/16	1 1/4	2 1/8

## Adapter Bushings

Adapter bushings quickly convert Category II Implement pins from 1 1/8" diameter to 1 7/16". Implements may then be securely attached to three-point hitch tractors fitted with most types of Category III "quick hitch" assemblies.



These special bushings are made of high quality D.O.M. tubing and cold rolled steel. They are precision machined for reliable fit and are bright zinc plated for extra corrosion resistance.

**SPECIFICATIONS**

RB&H #	CATEGORY	I.D. (IN.)	O.D. (IN.)	USABLE LENGTH (IN.)
3015/F	Adapter Bushing only	1 1/8	1 7/16	2 7/8

**SPECIFICATIONS**

RB&H #	CATEGORY	DIA. (IN.)	OVERALL LENGTH (IN.)
1148/F	Roll Pin only	7/16	1 3/8

## Tarp Straps

**HEAVY DUTY EPDM STRAPS**

Heavily reinforced ends give extra tear resistance. Strong plated steel "S" hooks won't bend. EPDM rubber compound withstands head, cold, salt, and abrasion for years.



- These rubber straps tie down securely to protect your cargo. Ideal for industrial, fleet, farm, household, camping and RV use.
- Straps are made from heavy duty EPDM rubber for superior ozone, weather and sunlight resistance. This special compound also provides excellent set resistance when stretched.
- Each strap comes completely assembled with 2-1/2" zinc plated steel "S" hooks that fit tightly into heavily reinforced, tear resistance ends.
- Straps are available in 4 lengths and safely stretch approximately twice its length.

**SPECIFICATIONS**

RB&H #	RUBBER LENGTH	MAX. SAFE STRETCH
TS9	9"	18"
TS15	15"	30"
TS21	21"	42"
TS31	31"	62"

## Steering Wheel Knob

**PART # SPINNER-KNOB-DISPLAY**

Heavy-duty clamp-on model. Ball bearings for smoother operating & longer life. Packaged 12 per display box.



**AGRICULTURAL PARTS**

**FARM ACCESSORIES**

**Machinery Repair Bushings**

**Wide Rim**

**SPECIFICATIONS**

10 GAUGE RB&H #	14 GAUGE RB&H #	18 GAUGE RB&H #	OUTSIDE DIAMETER (IN.)	INSIDE DIAMETER (IN.)
-	MB-102A	MB-102	1 ¼	5/8
MB-103B	MB-103A	MB-103	1 ½	¾
MB-104B	MB-104A	MB-104	1 ¾	7/8
MB-105B	MB-105A	MB-105	2	1
MB-106B	MB-106A	MB-106	2 ½	1 ½
MB-107B	MB-107A	MB-107	2 ¾	1 ¾
MB-108B	MB-108A	MB-108	2 ½	1 ¾
MB-109B	MB-109A	MB-109	3	1 ½
MB-110B	MB-110A	MB-110	3 ½	1 5/8
MB-111B	MB-111A	MB-111	3 ¼	1 ¾
MB-112B	MB-112A	MB-112	3 ¾	1 7/8
MB-113B	MB-113A	MB-113	3 ½	2
MB-114B	MB-114A	MB-114	3 5/8	2 1/8
MB-115B	MB-115A	MB-115	3 ¾	2 ¼
MB-117B	MB-117A	MB-117	3 7/8	2 ½



**SPECIFICATIONS**

10 GAUGE RB&H #	14 GAUGE RB&H #	18 GAUGE RB&H #	OUTSIDE DIAMETER (IN.)	INSIDE DIAMETER (IN.)
-	MB-0	MB-00	7/8	1/2
-	MB-1A	MB-1	1	9/16
-	MB-2A	MB-2	1	5/8
MB-4A	MB-4	MB-3	1 ¼	¾
MB-6A	MB-6	MB-5	1 ¾	7/8
MB-9	MB-8	MB-7	1 ½	1
MB-12	MB-11	MB-10	1 ¾	1 1/8
MB-15	MB-14	MB-13	1 7/8	1 ¼
MB-18	MB-17	MB-16	2 1/8	1 3/8
MB-20	MB-19	MB-18A	2 ¼	1 ½
-	MB-20A	-	2 3/8	1 5/8
MB-22	-	-	2 ½	1 ¾
MB-24	MB-23	-	2 7/8	1 7/8
MB-26	MB-25	-	3	2
MB-28	MB-27	-	3 1/8	2 1/8

**Narrow Rim**



**AGRICULTURAL PARTS**

**FARM ACCESSORIES**

# Bushing Display

## PART # MB-HB-3 Display

**FEATURES:**

- Display board complete with 22 angle screw hooks and bushings
- Consists of both narrow and wide rim bushings
- Board, bushing, and hooks packed in one carton ready for shipping



<b>DISPLAY INCLUDES</b>				
18 GAUGE	14 GAUGE	10 GAUGE	WIDE RIM 18	SIZE (IN.)
10	-	-	-	9/16
10	-	-	-	5/8
5	5	5	10	3/4
5	5	-	10	7/8
5	5	5	10	1
5	5	5	10	1 1/8
5	5	5	10	1 1/4
5	5	3	5	1 3/8
5	5	3	5	1 1/2
5	3	3	5	1 3/4
-	2	2	-	1 7/8
-	1	1	5	2
-	1	1	-	2 1/8
-	1	1	-	2 1/4

# Washers

## Quick Repair



<b>SPECIFICATIONS</b>		
RB&H #	SIZE O.D. (IN.)	SIZE I.D. (IN.)
QR-1	1 3/4	3/4
QR-2	1 7/8	7/8
QR-3	2	1
QR-4	2 1/8	1 1/8
QR-5	2 1/4	1 1/4
QR-6	2 3/8	1 3/8
QR-7	2 1/2	1 1/2
QR-8	2 3/4	1 3/4
QR-9	3	2