

# Equipment

## *ROYAL BRASS AND HOSE*

ITEM	PAGE #	ITEM	PAGE #
<b>Equipment</b>		<b>Tube Benders &amp; Cutters</b>	
<b>Coupling Identification</b>		Lever Type Tube Benders.....	477
Hydraulic Coupling Templates .....	468	Tube Cutting and Flaring Kit .....	477
Stainless Steel Dial Caliper .....	468	Flaring Tool (45°) .....	478
Metric and BSP Female Thread Identification Kit ..468		Double Flaring Tool (45°) .....	478
Measuring Tools .....	468	Plastic Tube and Hose Cutter .....	478
		Utility Tube Cutter .....	479
<b>Gates Hydraulic Crimping Equipment</b>		<b>Tables &amp; Racks</b>	
GC32XD Crimper .....	468	Machine Table .....	479
Mobile Crimp 4-20 .....	469	Saw Table .....	480
Power Crimp 707 .....	469	Reel Rack .....	480
OmniCrimp 21 .....	469		
Power Crimp 3000B .....	469		
<b>Mobile Crimp 4-20 Power Source</b>		<b>Cabinets</b>	
Air Pump .....	470	Drawer Models .....	481
Hand Pump .....	470	12" Deep Bin Models .....	481
¼" HP 12 Volt DC Pump.....	470	Large Scoop Compartment Boxes.....	482
PC707 Power Source .....	470	Slide Rack.....	482
¾" HP 115 Volt AC Pump .....	470		
½" HP 115 Volt AC Pump .....	470	<b>Labels</b>	
1 ½" HP 115 Volt AC Pump .....	470	Gates .....	483
PC300B Power Source .....	470	Weatherhead.....	483
Hand Skiving Tool .....	471	PTO .....	483
Swagger Conversion Kit For the Power Crimp 707 ..471		Black Iron Pipe.....	483
		Adapters .....	483
		Brass .....	483
		Air Conditioning .....	483
		Tape .....	483
<b>C14 Tools Needed for Teflon Hose</b>		<b>Signs</b>	
C14 Hose Cutting Shear .....	472	Pressuer Washer.....	484
C14 Hose Insertion Die Holder .....	472	Hydraulic Adapters.....	484
C14 Hose Insertion Dies .....	472	Snow Plow .....	484
C14 Hose Expanders .....	472	AG Maintenance Kits .....	484
C14 Swage Pushers .....	473	PTO Components .....	484
C14 Swage Dies .....	473		
<b>Weatherhead Hydraulic Crimping Equipment</b>			
Portable Coll-O-Crimp.....	474		
Coll-O-Crimp I .....	474		
Super I Coll-O-Crimp .....	474		
Coll-O-Crimp II Plus .....	474		
Portable Coll-O-Crimp .....	474		
<b>Synflex Hand Swager</b>			
Hose Coupling Swaging Machines and Tools			
Swaging Machine .....	475		
Carry Case .....	475		
<b>Hose Cutting Equipment</b>			
Light Duty Saw (1 & 2 wire hose thru 1") .....	476		
Heavy Duty Saw (1 & 2 wire & Spiral hose thru 2") ..476			

## COUPLING IDENTIFICATION

## Coupling Identification Thread Identification Tools

Hydraulic Coupling  
Templates

RB&amp;H PART # 39549

These templates provide a fast and easy way to measure North American Thread and flange ends, seat angles (37° and 45°) and hose I.D.

Metric and BSP Female  
Thread Identification Kit

RB&amp;H PART # 7369-0319

A sturdy, attractive carrying case suitable for counter display and field sales calls. Contains male metric & BSP plugs for identifying thread size, pocket I.D. kit, and flow chart with step-by-step instructions. For female thread identification, simply couple with the mating male.

## Stainless Steel Dial Caliper

RB&amp;H PART # 7369-1320

Caliper features a big 6" measuring capacity and reads to 0.0001". Dial is easy to read and shockproof. Capable of four-way measurement... inside, outside, depth and step. Comes in an impact resistant, hard plastic case for protection.

## Measuring Tools

RB&amp;H PART # 7369-0318

To be sure you order the correct couplings, the measuring tools shown below should be used. They are stocked by Gates and are available on order.

## CONTENTS:

- Calipers
- Seat gauges (English)
- Seat gauges (Metric)
- Thread gauges
- Thread I.D. guide

## Gates Hydraulic Crimping Equipment

## GC32-XD™ Crimper

PRODUCT NUMBER# 7480-7001

## CONTENTS:

- The world's first global crimper.
- Crimps every hose and coupling in the Gates catalog.
- Electrical inverter automatically converts any input voltage greater than 208 volts to 220 volts.
- Features a 2-stage pump with 5 H.P. motor and is twice as fast as the Gates OmniCrimp® 21 crimper, which it replaces
- Equipped with color-coded die sets and a Quick Change Tool.

## GC32-XD™ Stand

PRODUCT NUMBER# 7480-7002

## GC32-XD™ Rack

PRODUCT NUMBER# 7480-7003



**EQUIPMENT**

**GATES HYDRAULIC CRIMPING EQUIPMENT**

The latest in high-tech crimping. Portable, versatile and powerful enough to crimp up to 1 1/4" four spiral hose. Order dies separately.

**MODEL:** Digital dial.  
**DIMENSIONS:** 12 1/4" wide by 6 1/4" deep by 17 3/4" high.  
**WEIGHT:** 57 lbs.  
**POWER SOURCE:** See pump options, SEE PAGE 470.  
**MAXIMUM OPERATING PRESSURE:** 10,000 psi.  
**ADDITIONAL INFO:** Also available in positive stop control (7480-0050).



**Mobile Crimp 4-20**  
 RB&H PART # 7480-0051

The most precise, yet simplest crimper made. The toughest part about the PC707 is pushing the button. Crimps hydraulic hoses up to 1 1/4" extremely high pressure spirals. Order dies separately.

**MODEL:** 110V.  
**PRODUCTION RATE:** 100 assemblies per hour.  
**DIMENSIONS:** 13" wide by 12" deep by 26 1/2" high.  
**WEIGHT:** 188 lbs.  
**POWER SOURCE:** See pump options, SEE PAGE 470.  
**ADDITIONAL INFO:** Also available in 220V model (7480-0046).



**Power Crimp 707**  
 RB&H PART # 707-MACH

The only crimper you'll ever need. Crimping sizes from 3/16" to 2". Six spiral wire hose. 9 dies come with package.

**DIMENSIONS:** 26" wide by 26" deep by 20" high.  
**WEIGHT:** 500 lbs.  
**POWER SOURCE:** 220V single phase (3 H.P.).  
**MAXIMUM OPERATING PRESSURE:** 10,000 psi.  
**ADDITIONAL INFO:** Foot switch available



**OmniCrimp 21**  
 RB&H PART # OMNI-21

You can couple permanent hose assemblies in hose sizes from 3/16" through 2" six spiral. Order dies separately.

**DIMENSIONS:** 10" by 10" by 25".  
**WEIGHT:** 375 lbs.  
**PRODUCTION RATE:** 209 assemblies per hour.  
**POWER SOURCE:** See pump options, SEE PAGE 470.



**Power Crimp 3000B**  
 RB&H PART # 3000B

**SPECIFICATIONS**

CRIMPER TYPE	TEXTILE, 1 & 2 WIRE BRAID			4 - SPIRAL WIRE		6 - SPIRAL WIRE	
	STRAIGHT (IN.)	BENT TUBE (IN.)	BLOCK (IN.)	STRAIGHT (IN.)	BENT TUBE (IN.)	STRAIGHT (IN.)	BENT TUBE (IN.)
MC4-20	3/16 - 1 1/4	3/16 - 1 1/4	1/4 - 3/4	3/8 - 1 1/4	3/8 - 1 1/4	None	None
PC707	3/16 - 1 1/4	3/16 - 1 1/4	1/4 - 3/4	3/8 - 1 1/4	3/8 - 1 1/4	None	None
OMNI 21	3/16 - 2	3/16 - 2	3/8 - 3/4	3/8 - 2	3/8 - 2	1 1/4 - 2	1 1/4 - 2
3000B	3/16	3/16	1/4 - 3/4	3/8 - 2	3/8 - 2	1 1/4 - 2	1 1/4 - 2

**EQUIPMENT**


**GATES HYDRAULIC CRIMPING EQUIPMENT**

**Mobile Crimp 4-20 Power Sources**

**Air Pump**

RB&H PART # 7481-0002

FEATURES: Works with standard air compressor power (90 psi).  
PRESSURE RATING: 10,000 psi.  
WEIGHT: 10 lbs.



**1/4" HP 115 Volt AC Pump**

RB&H PART # 7481-0033

FEATURES: Lightweight electrical power pump.  
PRESSURE RATING: 10,000 psi.  
WEIGHT: 20 lbs.



**Hand Pump**

RB&H PART # 7481-0006

FEATURES: Portable for use anywhere.  
PRESSURE RATING: 10,000 psi.  
WEIGHT: 25.6 lbs.



**1/2" HP 115 Volt AC Pump**

RB&H PART # 7481-0034

FEATURES: Medium speed pump recommended for a stationary crimper.  
PRESSURE RATING: 10,000 psi.  
WEIGHT: 32 lbs.



**1/4" HP 12 Volt DC Pump**

RB&H PART # 7481-0037

FEATURES: Mobile operation, runs on standard car/truck battery.  
PRESSURE RATING: 10,000 psi.  
WEIGHT: 20.5 lbs.



**1 1/2" HP 115 Volt AC Pump**

RB&H PART # 7481-0035

FEATURES: High speed pump recommended for a stationary crimper.  
PRESSURE RATING: 10,000 psi.  
WEIGHT: 108 lbs.



**PC707 Power Source**

**115 Volt, 30 Amp, 1 hp, 60 cycles**

PUMP RB&H PART # 707-PUMP

**230 Volt, 15 Amp, 1 hp, 60 cycles**

PUMP RB&H PART # 7481-0028

DIMENSIONS: 12" wide by 25" deep by 18" high.  
MAXIMUM WORKING PRESSURE: 4,900 psi.  
WEIGHT: 65 lbs.  
CAPACITY: 6 quarry capacity.

\* digital read out must be wired for 230V



**PC 3000B Power Source**


**115 Volt, 2 hp, Single Phase, 60 cycles Pump**

RB&H PART # 3000B-PUMP

**230 Volt, 3 hp, 3 Phase, 60 cycles Pump**

RB&H PART # 7481-0016

DIMENSIONS: 12" wide by 25" deep by 18" high.  
MAXIMUM WORKING PRESSURE: 4,900 psi.  
WEIGHT: 65 lbs.  
CAPACITY: 6 quarry capacity.



**EQUIPMENT**

**GATES HYDRAULIC CRIMPING EQUIPMENT**

**Hand Skiving Tool**

(KIT) RB&H PART # 7480-0413

(SPARE BLADE) RB&H PART # 7482-0410

<b>MANDRELS</b>	
RB&H #	SIZE (IN.)
7482-0400	3/16
7482-0401	1/4
7482-0402	3/8
7482-0403	1/2
7482-0404	5/8
7482-0405	3/4
7482-0406	1
7482-0407	1 1/4
7482-0408	1 1/2
7482-0409	2

Ten mandrels (order separately) are available. Mandrels are adjustable so you can skive any Gates hose to the correct length.

**SKIVING KIT CONTAINS:**

- Bracket
- Blade holder with blade
- Brace
- Allen wrench
- Wire brush



For use in skiving 3/16" through 2" I.D. wire braid and spiral reinforced hydraulic hose.

<b>MANDRELS</b>	
RB&H #	DESCRIPTION
7480-0040	complete kit
7482-0429	collar
7482-0430	die cone
7482-0433	adapter
7482-0482	actuator rod

\* Teflon is a registered trademark of DuPont

Dies and pushers must be ordered separately. See Swage Data Chart for details.

**Swager Conversion Kit**

**FOR THE POWER CRIMP 707**

Produces top quality assemblies using Gates C7S, C7SNC, C8S and C8SNC thermoplastic hydraulic hose with Gates PCTS fittings and Gates C14 Teflon\* hose and fittings. Easily converts the Power Crimp 707 to a swager.

**EQUIPMENT**

**GATES HYDRAULIC CRIMPING EQUIPMENT**

**C14 Tools Needed for Teflon Hose**

**C14 Hose Cutting Shear**

RB&H PART # 7480-6596

This cutting shear handles Gates C14 Teflon\* hose up through -16 without requiring pretaping of the hose. The shear is fast and easy to use and results in a very clean cut.

WEIGHT: 58 lbs.

DIMENSIONS: 9" wide x 15" high x 14" deep (30" handle).



**C14 Hose Insertion Die Holder**

(FOR USE WITH HOSE INSERTION DIES)

Required for inserting hose into ferrule on all sizes. Use the fixture (see photo) to mount the Hose Insertion Die Holder onto a benchtop to aid in the assembly of Gates C14 Teflon\* hose. Each item listed in the table must be ordered separately.




**SPECIFICATIONS**

PRODUCT I.D.	
RB&H #	GATES #
TEFLON-DIE-HOLDER	7483-0510
TEFLON-FIXTURE	7483-0511

\*Teflon is a registered trademark of DuPont

**C14 Hose Insertion Dies**

These dies are used to guide the hose into the ferrule when used with Hose Insertion Die Holder. One set required for each hose size.



**SPECIFICATIONS**

PRODUCT I.D.	
RB&H #	GATES #
HD-4C14	7483-0503
HD-5C14	7483-0504
HD-6C14	7483-0505
HD-8C14	7483-0506
HD-10C14	7483-0507
HD-12C14	7483-0508
HD-16C14	7483-0509

**C14 Hose Expanders**

These are used to expand the hose and round out the tube after cutting and to insert the stem into the hose. One expander for each hose size.



**SPECIFICATIONS**

PRODUCT I.D.	
RB&H #	GATES #
HE-4C14	7483-0555
HE-5C14	7483-0556
HE-6C14	7483-0557
HE-8C14	7483-0558
HE-10C14	7483-0559
HE-12C14	7483-0560
HE-16C14	7483-0561


**EQUIPMENT**

**GATES HYDRAULIC CRIMPING EQUIPMENT**

**SPECIFICATIONS**

PRODUCT I.D.	
RB&H #	GATES #
PC14-4FJSX	7483-0536
PC14-5FJSX	7483-0537
PC14-6FJX	7483-0538
PC14-6FSX	7483-0539
PC14-8FJSX	7483-0540
PC14-10FJSX	7483-0541
PC14-12FJX	7483-0542
PC14-12FSX	7483-0543
PC14-16FJSX	7483-0544
PC14-2MP	7483-0550
PC14-4MP	7483-0545
PC14-6MP	7483-0546
PC14-8MP-8 & 10 ABC	7483-0547
PC14-12MP-12ABC	7483-0548
PC14-16MP	7483-0549
PC14-4TUBE	7483-0530
PC14-5TUBE	7483-0531
PC14-6TUBE	7483-0532
PC14-8TUBE	7483-0533
PC14-10TUBE	7483-0534
PC14-12TUBE	7483-0521
PC14-12TUBE-JS	7483-0522
PC14-16TUBE-JS	7483-0580
PC14-6TBFLK	7483-0552
PC14-12TBFLK	7483-0553
PC14-16TBFLK	7483-0554

**C14 Swage Pushers**



These pushers are specially designed to accommodate Gates C14 couplings. They protect the threads and bottom out on the dies to complete the swage. Use the C14 Swage Data Chart to determine the proper pushers.

**SPECIFICATIONS**

PRODUCT I.D.	
RB&H #	GATES #
SD-4C14	7483-0513
SD-5C14	7483-0514
SD-6C14	7483-0515
SD-8C14	7483-0516
SD-10C14	7483-0517
SD-12C14	7483-0518
SD-16C14	7483-0519

**C14 Swage Dies**



These dies are specifically designed to swage Gates C14 hose assemblies. They provide the required swage dimensions to meet full performance. One die set is required for each hose size.

**WEATHERHEAD HYDRAULIC CRIMPING EQUIPMENT**

**Portable Coll-O-Crimp**

CAPACITY: 3/16" through 1 3/8" 2 wire hose.  
 SIZE: 15" high, 14" wide, 11 1/4" deep.  
 OPERATION PRESSURE: 10,000 psi.  
 USES: 10W hydraulic oil.

RB&H PART # T-464

**FEATURES:**

- Includes dies and hand pump for complete portability
- Free standing base



RB&H PART # T-466

**FEATURES:**

- Includes dies and air/hydraulic pump for shop or the field
- Free standing base

**Coll-O-Crimp I**

RB&H PART # T-401

POWER SOURCE: 220V single phase (1 H.P.).  
 MOUNTING: Bench.  
 OPERATION PRESSURE: 4,200 psi.  
 OTHER POWER SOURCES AVAILABLE:  
 Air/hydraulic, hand, mobile electric.

**FEATURES:**

- Includes dies and 220V electric pump



**Coll-O-Crimp II Plus**

RB&H PART # T-440

POWER SOURCE: Single phase.  
 CAPACITY: 3/16" through 2" 6 spiral hose.  
 MOUNTING: Bench.  
 DIMENSIONS: 27" high, 12" wide, 21" deep.  
 WEIGHT: 450 lbs.

**FEATURES:**

- High performance machine
- Includes dies and 220V electric pump



**Super I Coll-O-Crimp**

RB&H PART # T-420

POWER SOURCE: 220V single phase (1 H.P.).  
 CAPACITY: 3/16" through 1 1/4" 6 spiral hose.  
 MOUNTING: Bench.  
 DIMENSIONS: 22" high, 10" wide, 20 1/2" deep.  
 WEIGHT: 210 lbs.

**FEATURES:**

- Versatile machine ideal for shop or factory
- Includes dies and 220V electric pump



**Portable Coll-O-Crimp**

RB&H PART # T-480-HP

CAPACITY: 3/16" through 1 1/4" 6 spiral hose.  
 WEIGHT: 102 lbs.

**FEATURES:**

- 6 spiral portable versatile design
- Includes dies and hydraulic hand pump (other pumps available)



## SYNFLEX HAND SWAGER

# Hose Coupling Swaging Machines and Tools

**FEATURES:**

- Designed to attach Synflex Permanent Couplings to Synflex hose.
- Synflex swaging equipment produces smooth, uniform coupling surfaces, without raised edges or ridges common in other coupling methods.
- Complete range of coupling swaging pushers and dies, up to -16 size, are ordered separately.

See Pages...  
Dies: Synflex Hose  
Pushers: Synflex Fittings



## Swaging Machine

RB&H PART # 4530-01002

## Carry Case

RB&H PART # 45J0-04300

**HOSE CUTTING EQUIPMENT**

## Light Duty Saw (1 & 2 wire hose thru 1")

(STEEL BLADE INCLUDED WITH SAW)

POWER SOURCE: 1 hp, 115/230V, 60 cycle, single phase

SAW PART #: 4560-08801

REPLACEMENT BLADE PART #: 4560-CP014 (8" notched steel)



## Heavy Duty Saw (1 & 2 wire & Spiral hose thru 2")

FROM GATES (STEEL BLADE INCLUDED WITH SAW)

POWER SOURCE: 4.5 HP, 115V, 20 amps

SAW PART #: 7480-6598

REPLACEMENT BLADE PART #: 7482-0983 (12" steel scallop)

7482-0426 (12" abrasive) (spiral hose)  
(can be drop shipped with crimping  
equipment)

### CAUTION:

The abrasive blade will create smoke and dust.

### 4 SPIRAL HOSE CUTTING:

We recommend a 14" Abrasive Chop Saw  
from your local hardware store. (Mikita,  
Milwaukee, or DeWalt)



**EQUIPMENT**

**TUBE BENDERS & CUTTERS**


Each tool bends one size. Openside type. Handy in a tight spot. Makes precision short radius bends up to 180° with minimum effort. Keeps tube round, no marks or scrapes, shows bend degree. Unique extra strong hook grips tubing securely.

**CAPACITY:** Individual tools for bending eight sizes from 3/4" O.D. tubing. Will bend annealed copper, steel (inc. JIC), stainless steel and all soft tubing

**SPECIFICATIONS**

RBH #	TUBING O.D. (IN.)	NORMAL SIZE (IN.)	RADIUS TO CENTER OF TUBE (IN.)	WEIGHT EACH	TYPE
T-372	1/8	-	3/8	8 ozs.	A
T-373	3/16	-	7/16	9 ozs.	A
T-374	1/4	1/8	9/16	12 ozs.	B
T-375	5/16	-	1 1/16	1 lb. 4 ozs.	B
T-376	3/8	-	1 5/16	1 lb. 12 ozs.	B
T-378	1/2	3/8	1 1/2	3 lbs. 8 ozs.	C
T-3710	5/8	1/2	2 1/4	10 lbs.	D
T-3712	3/4	5/8	3	10 lbs. 8 ozs.	D

**Lever Type Tube Benders**



Tube flaring and cutting has just become a little easier with the convenient T-345K Tube Flaring and Cutting Kit.

**FEATURES:**

- Quality-made double flaring tool offering accurate single flares between 3/16" and 5/8" O.D. tubing
- Double flares between 3/16" and 1/2" O.D. tubing
- Hardened, smooth cone for fast, accurate 45° flares
- Single and double flare compatibility
- Clamp screw for easy clamping and removal of tubes
- Flaring bar installed from either side of yoke
- Flares soft copper, brass, aluminum and mild steel (JIC and Bundy) tubing


**Tube Cutting and Flaring Kit**

RB&H PART # T-345K



**EQUIPMENT****TUBE BENDERS & CUTTERS****Flaring Tool (45°)**

RB&amp;H PART # T-1022




**FLARING CAPACITY:** 3/16", 1/4", 5/16", 3/8", 7/16", 1/2", and 5/8" O.D.  
Forms 45° flares in soft copper, aluminum and brass.

**FEATURES:**

- Economical, fast operating tool
- Quick slip-on aluminum alloy yoke
- Easy operating, swivel-type, hard chrome finished cone assures smooth flares
- Yoke slips down over top of bar and locks into position with a single turn

**Double Flaring Tool (45°)**

RB&amp;H PART # T-220



**FLARING CAPACITY:** 3/16", 1/4", 5/16", 3/8", 1/2", and 5/8" O.D. for single flares, and up to 1/2" O.D. for double flares. Can be used with copper, aluminum, brass, bundyweld and steel tubing.

**FEATURES:**

- Makes single or double flaring easier and quicker than ever
- Cam action provides positive, non-slip grip on the tubing with just a squeeze of the handle
- Double flaring bar also serves as gauge for correct tubing height to insure perfect flares

**Plastic Tube and Hose Cutter**

RB&amp;H PART # T-191

**FEATURES:**

- Designed to be small, only 2 7/8" long
- Offers quick and clean square cuts on 1/16" to 1/2" O.D. plastic tubing and non-wire reinforced hose
- Can either be bench or wall mounted and offers the safety of closing automatically when not in use

**EQUIPMENT****TUBE BENDERS & CUTTERS**

**CAPACITY:** 1/8" to 1 1/8" O.D. Cuts hard and soft copper, aluminum, brass, carbon steel and stainless steel tubing.

**FEATURES:**

- Enclosed feed screw to eliminate clogging and jamming
- Grooved rolls for close to flare cuts and a fold away reamer

**Utility Tube Cutter**

RB&amp;H PART # T-282

**TABLES & RACKS****FEATURES:**

- 3' x 3' wood table for mounting hydraulic crimping machines
- Available for all types and brands of machines

**Machine Table**

RB&amp;H PART # MACHINE-TABLE

**Mounted PC707 Crimper Stand**

RB&amp;H PART # 707-OPTION

For a saw table (page 480)



## Saw Table

RB&H PART # SAW-TABLE

**FEATURES:**

- 8' x 3' wood table for hose assembly work area
- Built in ruler for hose measuring



## Reel Rack

RB&H PART # REEL-RACK

**FEATURES:**

- Wood rack to organize reels of hose
- 71" high, holds (3) 2' reels



**EQUIPMENT**

**CABINETS**

**Drawer Models**

**RB&H PART # 18D-CABINET**

DRAWERS IN CABINET: 18.  
 DIMENSIONS: 33 3/4" wide, 14 3/8" high, 11 5/8" deep.  
 COLOR: Gray.  
 WEIGHT: 50 lbs.  
 MATERIAL: Primed rolled steel.



**RB&H PART # 24D-CABINET**


DRAWERS IN CABINET: 24.  
 DIMENSIONS: 33 3/4" wide, 10 7/8" high, 11 5/8" deep.  
 COLOR: Gray.  
 WEIGHT: 63 lbs.  
 MATERIAL: Primed rolled steel.



**12" Deep Bin Models**


**RB&H PART # 24B-CABINET**

DRAWERS IN CABINET: 24.  
 DIMENSIONS: 33 3/4" wide, 23 7/8" high, 12" deep.  
 COLOR: Gray.  
 WEIGHT: 44 lbs.  
 MATERIAL: Primed rolled steel.



**RB&H PART # 40B-CABINET**

DRAWERS IN CABINET: 40.  
 DIMENSIONS: 33 3/4" wide, 23 7/8" high, 12" deep.  
 COLOR: Gray.  
 WEIGHT: 50 lbs.  
 MATERIAL: Primed rolled steel.




**RB&H PART # 42B-CABINET**

DRAWERS IN CABINET: 42.  
 DIMENSIONS: 33 3/4" wide, 42" high, 12" deep.  
 COLOR: Gray.  
 WEIGHT: 71 lbs.  
 MATERIAL: Primed rolled steel.



**RB&H PART # 72B-CABINET**

DRAWERS IN CABINET: 72.  
 DIMENSIONS: 33 3/4" wide, 42" high, 12" deep.  
 COLOR: Gray.  
 WEIGHT: 75 lbs.  
 MATERIAL: Primed rolled steel.



**EQUIPMENT**

**CABINETS**

**Large Scoop Compartment Boxes**

RB&H PART # DL12C

COMPARTMENTS IN BOX: 12.

DIMENSIONS: 18" wide, 3" high, 12" deep.

COLOR: Gray.

WEIGHT: 32 lbs.

MATERIAL: Primed rolled steel.



RB&H PART # DL24C

COMPARTMENTS IN BOX: 24.

DIMENSIONS: 18" wide, 3" high, 12" deep.

COLOR: Gray.

WEIGHT: 32 lbs.

MATERIAL: Primed rolled steel.



**Slide Rack**

RB&H PART # BLR-12 SLIDERACK BASE  
(FOR LARGE SCOOP COMPARTMENT BOXES)

RB&H PART # 2LR (2 DRAWER RACK)

RB&H PART # 4LR (4 DRAWER RACK)

DIMENSIONS: Rack base (20 3/8" wide by 15 1/8" high by 16" deep.

WEIGHT: 13 lbs.

MATERIAL: Prime cold rolled steel. Interlocked and welded construction.

COLOR: Grey baked enamel.

**SPECIFICATIONS**

SPECIFICATIONS	MODEL	
	#2LR	#4LR
Width (in.)	20	20
Height (in.)	8 1/8	15
Depth (in.)	15 3/4	15 3/4
No. of drawers	2	4
Packing per carton	1	1
Weight per carton (lbs.)	20	37



**EQUIPMENT**

**LABELS & TAPE**

**Labels**

**Gates**

SPECIFICATIONS	
RB&H #	DESCRIPTION
35099-EM	MegaCrimp® couplings
35099-EGS	Global Spiral couplings

**Black Iron Pipe**

SPECIFICATIONS	
RB&H #	DESCRIPTION
Black-Iron-Label	thru 2"

**Adapters**

SPECIFICATIONS	
RB&H #	DESCRIPTION
0112-RB	Royal Brass adapters

**Weatherhead**

SPECIFICATIONS	
RB&H #	DESCRIPTION
FS-500	Barb-Tite hose ends
FS-600	069 'D'; & 247 'N' series
FS-700	425 'N' series
FS-800	338 'B' series & brass airbrake fittings for copper tubing
FS-1100	'U' series
FS-1200	'E' series
FS-1300	430 'E' series
FS-1500	069 'E' series
FS-1800	470 'E' series 570 'S' series
FS-2300	Drain cocks, valves and hose ends
FS-3100	430 'U' series no skive

**Brass**

SPECIFICATIONS	
RB&H #	DESCRIPTION
W-8022	Weatherhead brass

**Air Conditioning**

SPECIFICATIONS	
RB&H #	DESCRIPTION
A/C-LABEL-SET	Beadlock fittings

**PTO**

SPECIFICATIONS	
RB&H #	DESCRIPTION
AFT-MET-PTO-LABEL	After Market Metric PTO (Green)
DOM-PTO-LABEL	Domestic PTO (Blue)
STD-DOM-PTO-LABEL	Standard Domestic PTO High Speed driveshafts (Purple)
OE-MET-LABEL	Original Equipment Metric (Yellow)

**Tape**

RB&H PART # BIN-TAPE


FEATURES:

- Clear vinyl tape 1" x 72" roll
- Covers labels for better adhesion & heat resistant


**EQUIPMENT**

**SIGNS**

Promote your business with these 12" x 18" Styrene Color signs. They can be hung with pegs or on the wall.




PART # PRESSURE-WASHER-SIGN



PART # SIGN-ADAPTER



PART # AGKIT-SIGN



PART # SNOW-PLOW-SIGN



PART # PTO-SIGN