

# Gauges

**ROYAL BRASS AND HOSE**

| <b>ITEM</b>                             | <b>PAGE #</b> |
|-----------------------------------------|---------------|
| <b>Dry Pressure Gauges</b>              |               |
| Industrial Standard Dry Pressure Gauges |               |
| Center Back Mount 1 1/2" .....          | 444           |
| Lower Mount 2 1/2" .....                | 444           |
| Center Back Mount 2" .....              | 444           |
| Lower Mount 2 1/2" .....                | 444           |
| Center Back Mount 2 1/2" .....          | 444           |
| Lower Mount .....                       | 445           |
| <b>Liquid Filled Pressure Gauges</b>    |               |
| Lower Mount 2 1/2" .....                | 445           |
| Brass Case Lower Mount 2" .....         | 445           |
| Center Back Mount 2 1/2" .....          | 445           |
| Gauge Display .....                     | 446           |

Note: \*all gauge case material is steel unless noted otherwise  
\*all liquid filled material is glycerin

**GAUGES**

**PRESSURE GAUGES**

**Industrial Standard Dry Pressure Gauges**

**Center Back Mount**



**SPECIFICATIONS**

| RB&H #       | SIZE (IN.) | ACCURACY (%) | NPT (IN.) | PSI (FT.) - (LBS.) |
|--------------|------------|--------------|-----------|--------------------|
| 1415-366-1/8 | 1 1/2      | 2.5          | 1/8       | 0-30               |
| 1415-367-1/8 | 1 1/2      | 2.5          | 1/8       | 0-60               |
| 1415-368-1/8 | 1 1/2      | 2.5          | 1/8       | 0-100              |
| 1415-369-1/8 | 1 1/2      | 2.5          | 1/8       | 0-160              |

**Lower Mount**



**SPECIFICATIONS**

| RB&H #       | SIZE (IN.) | ACCURACY (%) | NPT (IN.) | PSI (FT.) - (LBS.) |
|--------------|------------|--------------|-----------|--------------------|
| 1420-318-1/4 | 2          | 2.5          | 1/4       | 30"-0              |
| 1420-365-1/4 | 2          | 2.5          | 1/4       | 0-15               |
| 1420-366-1/4 | 2          | 2.5          | 1/4       | 0-30               |
| 1420-367-1/4 | 2          | 2.5          | 1/4       | 0-60               |
| 1420-368-1/4 | 2          | 2.5          | 1/4       | 0-100              |
| 1420-369-1/4 | 2          | 2.5          | 1/4       | 0-160              |
| 1420-370-1/4 | 2          | 2.5          | 1/4       | 0-200              |
| 1420-371-1/4 | 2          | 2.5          | 1/4       | 0-300              |

**Center Back Mount**



**SPECIFICATIONS**

| RB&H #       | SIZE (IN.) | ACCURACY (%) | NPT (IN.) | PSI (FT.) - (LBS.) |
|--------------|------------|--------------|-----------|--------------------|
| 1425-366-1/4 | 2          | 2.5          | 1/4       | 0-30               |
| 1425-367-1/4 | 2          | 2.5          | 1/4       | 0-60               |
| 1425-368-1/4 | 2          | 2.5          | 1/4       | 0-100              |
| 1425-369-1/4 | 2          | 2.5          | 1/4       | 0-160              |
| 1425-371-1/8 | 2          | 2.5          | 1/8       | 0-300              |

**Lower Mount**

"-BP" to the PART # is blister packed gauges



**SPECIFICATIONS**

| RB&H #       | SIZE (IN.) | ACCURACY (%) | NPT (IN.) | PSI (FT.) - (LBS.) |
|--------------|------------|--------------|-----------|--------------------|
| 1430-365-1/4 | 2.5        | 2.5          | 1/4       | 0-15               |
| 1430-367-1/4 | 2.5        | 2.5          | 1/4       | 0-60               |
| 1430-368-1/4 | 2.5        | 2.5          | 1/4       | 0-100              |
| 1430-369-1/4 | 2.5        | 2.5          | 1/4       | 0-160              |
| 1430-370-1/4 | 2.5        | 2.5          | 1/4       | 0-200              |
| 1430-371-1/4 | 2.5        | 2.5          | 1/4       | 0-300              |
| 1430-374-1/4 | 2.5        | 2.5          | 1/4       | 0-600              |
| 1430-379-1/4 | 2.5        | 2.5          | 1/4       | 0-3,000            |

**Center Back Mount**

"-BP" to the PART # is blister packed gauges



**SPECIFICATIONS**

| RB&H #          | SIZE (IN.) | ACCURACY (%) | NPT (IN.) | PSI (FT.) - (LBS.) |
|-----------------|------------|--------------|-----------|--------------------|
| 1435-368-1/4-BP | 2 1/2      | 2.5          | 1/4       | 0-100              |
| 1435-369-1/4-BP | 2 1/2      | 2.5          | 1/4       | 0-160              |
| 1435-371-1/4-BP | 2 1/2      | 2.5          | 1/4       | 0-300              |
| 1435-381-1/4-BP | 2 1/2      | 2.5          | 1/4       | 0-5,000            |

**GAUGES**

**PRESSURE GAUGES**

**SPECIFICATIONS**

| RB&H #           | SIZE (IN.) | ACCURACY (%) | NPT (IN.) | PSI (FT.) - (LBS.) |
|------------------|------------|--------------|-----------|--------------------|
| GAUGE-100-BP     | 2          | 3.2          | ¼         | 0-100              |
| GAUGE-360-FT/LBS | 2 ½        | 1.5          | ¼         | 360                |



**Lower Mount**

**Liquid Filled Pressure Gauges**

**SPECIFICATIONS**

| RB&H #          | SIZE (IN.) | ACCURACY (%) | NPT (IN.) | PSI (FT.) - (LBS.) |
|-----------------|------------|--------------|-----------|--------------------|
| 1865-318-1/4-BP | 2 ½        | 1.5          | ¼         | 0-30               |
| 1865-346-1/4    | 2 ½        | 1.5          | ¼         | 30/60              |
| 1865-365-1/4    | 2 ½        | 1.5          | ¼         | 0-15               |
| 1865-366-1/4-BP | 2 ½        | 1.5          | ¼         | 0-30               |
| 1865-367-1/4    | 2 ½        | 1.5          | ¼         | 0-60               |
| 1865-368-1/4-BP | 2 ½        | 1.5          | ¼         | 0-100              |
| 1865-369-1/4    | 2 ½        | 1.5          | ¼         | 0-160              |
| 1865-370-1/4    | 2 ½        | 1.5          | ¼         | 0-200              |
| 1865-371-1/4-BP | 2 ½        | 1.5          | ¼         | 0-300              |
| 1865-372-1/4-BP | 2 ½        | 1.5          | ¼         | 0-400              |
| 1865-374-1/4-BP | 2 ½        | 1.5          | ¼         | 0-600              |
| 1865-376-1/4-BP | 2 ½        | 1.5          | ¼         | 0-1,000            |
| 1865-377-1/4    | 2 ½        | 1.5          | ¼         | 0-1,500            |
| 1865-378-1/4-BP | 2 ½        | 1.5          | ¼         | 0-2,000            |
| 1865-379-1/4-BP | 2 ½        | 1.5          | ¼         | 0-3,000            |
| 1865-381-1/4-BP | 2 ½        | 1.5          | ¼         | 0-5,000            |
| 1865-383-1/4-BP | 2 ½        | 1.5          | ¼         | 0-10,000           |

**Lower Mount**

“-BP” to the PART # is blister packed gauges  
Stainless steel



**SPECIFICATIONS**

| RB&H #          | SIZE (IN.) | ACCURACY (%) | NPT (IN.) | PSI (FT.) - (LBS.) |
|-----------------|------------|--------------|-----------|--------------------|
| 1760-369-1/4-BP | 2 ½        | 1.6          | ¼         | 0-160              |
| 1760-371-1/4    | 2 ½        | 1.6          | ¼         | 0-300              |
| 1760-374-1/4    | 2 ½        | 1.6          | ¼         | 0-600              |
| 1760-379-1/4-BP | 2 ½        | 1.6          | ¼         | 0-3,000            |
| 1760-381-1/4-BP | 2 ½        | 1.6          | ¼         | 0-5,000            |
| 1760-383-1/4-BP | 2 ½        | 1.6          | ¼         | 0-10,000           |

**Brass Case Lower Mount**

“-BP” to the PART # is blister packed gauges



**SPECIFICATIONS**

| RB&H #       | SIZE (IN.) | ACCURACY (%) | NPT (IN.) | PSI (FT.) - (LBS.) |
|--------------|------------|--------------|-----------|--------------------|
| 1866-366-1/4 | 2.5        | 1.6          | ¼         | 0-30               |
| 1866-367-1/4 | 2.5        | 1.6          | ¼         | 0-60               |
| 1866-368-1/4 | 2.5        | 1.6          | ¼         | 0-100              |
| 1866-369-1/4 | 2.5        | 1.6          | ¼         | 0-160              |
| 1866-370-1/4 | 2.5        | 1.6          | ¼         | 0-200              |
| 1866-371-1/4 | 2.5        | 1.6          | ¼         | 0-300              |
| 1866-376-1/4 | 2.5        | 1.6          | ¼         | 0-1,000            |
| 1866-379-1/4 | 2.5        | 1.6          | ¼         | 0-3,000            |
| 1866-381-1/4 | 2.5        | 1.6          | ¼         | 0-5,000            |
| 1866-383-1/4 | 2.5        | 1.6          | ¼         | 0-10,000           |

**Center Back Mount**



**GAUGES**

**GAUGE DISPLAY**


# Just The Beginning

## Watch The Gauge Sales Grow

### High Quality Gauges (dry and liquid filled)

Display can be free standing or wall mounted  
(size=34" high x 26" wide x 7" deep).

PART # GAUGE-DISPLAY



**DISPLAY INCLUDES**

| QUANTITY (PCS.) | RB&H #          | DESCRIPTION (IN.)           |
|-----------------|-----------------|-----------------------------|
| 1               | 1415-367-1/8-BP | Dry 1.5 ST 1/8-BP CBM 60#   |
| 1               | 1415-369-1/8-BP | Dry 1.5 ST 1/8-BP CBM 160#  |
| 1               | 1420-367-1/4-BP | Dry 2.0 ST 1/4-BP LM 60#    |
| 1               | 1420-368-1/4-BP | Dry 2.0 ST 1/4-BP LM 100#   |
| 1               | 1420-369-1/4-BP | Dry 2.0 ST 1/4-BP LM 160#   |
| 1               | 1425-367-1/4-BP | Dry 2.0 ST 1/4-BP CBM 60#   |
| 1               | 1425-368-1/4-BP | Dry 2.0 ST 1/4-BP CBM 100#  |
| 1               | 1425-369-1/4-BP | Dry 2.0 ST 1/4-BP CBM 160#  |
| 1               | 1430-367-1/4-BP | Dry 2.5 ST 1/4-BP LM 60#    |
| 1               | 1430-368-1/4-BP | Dry 2.5 ST 1/4-BP LM 100#   |
| 1               | 1430-369-1/4-BP | Dry 2.5 ST 1/4-BP LM 160#   |
| 1               | 1430-371-1/4-BP | Dry 2.5 ST 1/4-BP LM 300#   |
| 1               | 1435-369-1/4-BP | Dry 2.5 ST 1/4-BP CBM 160#  |
| 1               | 1435-371-1/4-BP | Dry 2.5 ST 1/4-BP CBM 300#  |
| 1               | 1435-381-1/4-BP | Dry 2.5 ST 1/4-BP CBM 5000# |

**DISPLAY INCLUDES**

| QUANTITY (PCS.) | RB&H #          | DESCRIPTION (IN.)           |
|-----------------|-----------------|-----------------------------|
| 1               | 1865-318-1/4-BP | Liq 2.5 AB 1/4-BP LM 30"-0# |
| 1               | 1865-366-1/4-BP | Liq 2.5 AB 1/4-BP LM 30#    |
| 1               | 1865-368-1/4-BP | Liq 2.5 AB 1/4-BP LM 100#   |
| 1               | 1865-371-1/4-BP | Liq 2.5 AB 1/4-BP LM 300#   |
| 2               | 1865-379-1/4-BP | Liq 2.5 AB 1/4-BP LM 3000#  |
| 1               | 1865-381-1/4-BP | Liq 2.5 AB 1/4-BP LM 5000#  |
| 1               | 1760-369-1/4-BP | Liq 2.5 BR 1/4-BP LM 160#   |
| 1               | 1760-379-1/4-BP | Liq 2.5 BR 1/4-BP LM 3000#  |
| 1               | 1760-381-1/4-BP | Liq 2.5 BR 1/4-BP LM 5000#  |
| 1               | GAUGE-100-BP    | Dry Steel 2.0 LM 1/4 100    |
| 1               | GAUGE RACK      | Gauge Display Rack Only     |